High Frequency Cylindrical Type Microprocessor Crystal

AB308R

Moisture Sensitivity Level (MSL) – This product is Hermetically Sealed and not Moisture Sensitive - MSL = N/A: Not Applicable





FEATURES:

- Cylinderical MHz frequency crystals.
- IR Reflow capable.


> APPLICATIONS:

- · Consumer electronics.
- · Microprocessor clocks.
- · Ideal for low cost SMD applications.

> STANDARD SPECIFICATIONS:

Parameters	Minimum	Typical	Maximum	Units	Notes
Frequency Range	4.000		26.999	MHz	Fundamental (std.)
	27.000		70.000		3 rd Overtone (std.)
	27.000		34.000		Fundamental (see options)
Operation Mode	Fundamental or 3 rd Overtone				
Operating Temperature	-10		+60	°C	See options
Storage Temperature	-40		+85	°C	
Frequency Tolerance @+25°C	-30		+30	ppm	See options
Frequency Stability over the Operating Temperature (ref. to +25°C)	-50		+50	ppm	See options
Equivalent series resistance (R1)			150	Ω	4.000 – 5.999MHz Fundamental
			100		6.000 – 9.999MHz Fundamental
			50		10.000 – 32.000MHz Fundamental
			100		30.000 –35.999 MHz 3 rd OT
			80		36.000 – 70.000 MHz 3 rd OT
Shunt capacitance (C0)			5	pF	
Load capacitance (CL)		16		pF	16 and 18pF nominal CL (See options)
Drive Level			100	μW	
Aging@25°C±3°C	-5		+5	ppm	First year
Insulation Resistance	500			ΜΩ	@ $100 \text{Vdc} \pm 15 \text{V}$

> OPTIONS AND PART IDENTIFICATION: (Left blank if standard)



^{*} Frequency stability: ± 50 ppm only





^{**}Standard Temperature -10°C \sim +60°C, $F \geq 6 MHz$ only

High Frequency Cylindrical Type Microprocessor Crystal

Dimensions: inches (mm)

AB308R







OUTLINE DRAWING:

0.091 ± 0.008 (2.3 ± 0.2) 0.346 ± 0.012 (8.8 ± 0.3) 0.157±0.012 $0.120\ \pm0.004$ (03.0 ± 0.1) (4.0 ± 0.3) 0.043 $\overline{(1.1)}$ Recommended Land Pattern (2.0)0.178 (4.5)0.079 0.23 (5.81)

REFLOW PROFILE:



► TAPE & REEL:



ATTENTION: Abracon Corporation's products are COTS - Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependant Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon Corporation is required. Please contact Abracon Corporation for more information.



