

Detailed information for: DP30C3P-C

This page contains technical data sheet, documents library and links to offering related to this product. If you require any other information, please contact us using form located at the bottom of the page.

[Print...](#)
[Print to Pdf...](#)

Data Sheet Documentation

DP30C3P-C

General Information

Extended Product Type: DP30C3P-C

Product ID: 1SBX103300R1400

EAN: 0662019755618

Catalog Description: DP30C3P-C Contactor

Long Description: DP30C3P-C DP contactor provide outstanding performance in various HVAC application and meet all relevant standards, including UL, CSA and IEC. Industry standard mounting plate provides easily accessible mounting holes.

Categories

Products » Low Voltage Products and Systems » Control Products » Contactors » Definite Purpose Contactors



Ordering

Minimum Order Quantity: 1 piece

Customs Tariff Number: 85365080

Dimensions

Product Net Width: 60.3 mm

Product Net Depth / Length: 73.8 mm

Product Net Height: 92 mm

Product Net Weight: 0.45 kg

Technical

Number of Main Contacts NO:	3
Rated Frequency (f):	Control Circuit 50 Hz Control Circuit 60 Hz

Rated Control Supply Voltage (Us): 277 V AC

Environmental

Ambient Air Temperature: Operation -40 ... +65 °C

RoHS Status:	No declaration needed
--------------	-----------------------

Technical UL/CSA

Horsepower Rating UL/CSA: (110 ... 120 V AC) Single Phase 2 Hp
(208 V AC) Three Phase 10 Hp
(220 ... 240 V AC) Single Phase 5 Hp
(220 ... 240 V AC) Three Phase 10 Hp
(440 ... 480 V AC) Three Phase 15 Hp
(550 ... 600 V AC) Three Phase 20 Hp

Full Load Amps AC Resistance (Heating):	(600 V AC) 40 A
---	-----------------

Full Load Amps Motor Use: 30 A

Locked Rotor Amps:	(480 V AC) 150 A (600 V AC) 120 A
--------------------	--------------------------------------

Certificates and Declarations (Document Number)

cUL Certificate: [cUL_E224401](#)

Declaration of Conformity - CE:	NoDecNee
---------------------------------	----------

RoHS Information: [NoDecNee](#)

UL Certificate:	UL_E224401
-----------------	----------------------------

Container Information

Package Level 1 Units: 1 piece

Package Level 1 Width:	63.5 mm
------------------------	---------

Package Level 1 Depth / Length: 76.2 mm

Package Level 1 Height:	101.6 mm
-------------------------	----------

Classifications

Object Classification Code: Q

ETIM 7:	EC000066 - Power contactor, AC switching
---------	--

UNSPSC: 39121529

Contact information

What would you like to do?

I need more information

ABB Sales

Submit your inquiry

Country / region

United States of America

Name

Company

Your local ABB Sales Team

Name

Customer Support

E-Mail

Phone

Zip code

Your message

→ [Privacy policy](#)

Cancel

Send message

▲ Close