

Medical | LED Lighting | Chemical Processing | High Power Lasers | Lab Power | SPE | Electroplating & Etching

- Up to 24 kW
- 0 to 1000 V
- Up to 1600 A
- Up to eight (8) outputs
- Versatile input range from 180 to 528 Vac single- or three-phase
- Applicable to all high power applications
- User configurable input
- Programmable load optimization via GUI
- Active PFC typically >0.9 with full medical approval
- High efficiency (92% typical)

Configurable Intelligent High Power System

Designed for a wide range of medical and industrial applications, Artesyn's iHP configurable intelligent power system provides accuracy, resolution and stability as either a programmable voltage or current source. It provides up to 24 kW in 3 kW increments and can be configured for up to eight (8) outputs using a wide variety of plug-in modules that address a large range of voltages and currents.

Safety approvals secured by Artesyn eliminate the need for an isolation transformer in medical equipment. The iHP power system also has industrial safety approvals and meets the SEMI F47 voltage sag tolerance standard for semiconductor processing equipment.

The iHP power system offers developers either an analog or digital interface to their system supporting standard communications protocols, while a software graphical user interface (GUI) allows for easy configuration.



iHP12

CONFIGURABLE INTELLIGENT HIGH POWER SYSTEM



Powerful Possibilities

The Artesyn iHP series is the only configurable high power system with medical and industrial safety approvals that offers ground-breaking control and flexibility. The iHP system consists of a power case and up to eight (8) output modules. It has been designed to meet the needs of a wide variety of applications, some of which are shown below:

Eliminates the need for an isolation transformer, and the multi-output modular structure provides all system power in a single unit.

LED Lighting/Horticulture

Bulk high voltage current sources eliminate the need for individual LED array drivers and reduce installation and operating costs.

Chemical Processing/Water Treatment

Compact size and multi-rack paralleling accommodate large installations up into the Megawatt range. GUI can be programmed to run sophisticated process flows.

High Power Lasers

Standard modules provide a wide range of bulk power as input to laser drivers.

Precision modules in development provide low noise and accurate control of voltage and current source with built-in wireless communication to remote control panel.

Semiconductor Processing Equipment

Meets the SEMI F47 standard and a provision for EtherCAT communication is planned.

Electroplating and Etching

Modules in development will provide enhanced programmable rise and fall times coupled with high-level GUI that can be tailored to exact process requirements.

Power Rack

The power rack houses EMC filtering and digital front-end power factor correction (PFC) circuits, input/output connectors and related hardware. The iHP power system offers efficient PFC and low total harmonic distortion (THD) over wide range of loads. It uses a multi-phase continuous mode boost PFC architecture, resulting in ripple current cancellation that offers lower EMI and extends the life of electrolytic capacitors. The user can configure the iHP system for single-phase or three-phase input. The rack also houses a communications board which provides various electrically isolated user interfaces and also handles internal communication between the intelligent PFC and the modules.

Output Modules

The outputs can be configured as voltage or current sources and customized to the application's requirements from a range of standard modules provided by Artesyn. These modules can be connected in series or parallel, while achieving high accuracy voltage and current sharing. The voltage and current ramp time, as well as loop compensation, are also programmable.



OUTPUT - General Specifications						
Module Code	SL	SQ	SW	S8	S1	S2
Nominal Output	12.0 V	24.0 V	48.0 V	80.0 V	125.0 V	250.0 V
Output Voltage Range	0.12 V - 14.4 V	0.24 V - 28.8 V	0.48 V - 57.6 V	0.80 V - 96.0 V	1.25 V - 150.0 V	2.50 V - 300.0 V
Maximum Power	2400 W	2880 W	3000 W	3000 W	3000 W	3000 W
Output Current Range	0.048 A - 200 A	0.096 A - 120 A	0.192 A - 62.5 A	0.32 A - 37.5 A	0.5 A -24 A	1.0 A -12 A

Control and Communication

Artesyn offers various options for analog and digital interfaces, including CANbus, Ethernet and RS485.


Digital control enables the use of Artesyn's high level **PowerPro** configurable GUI to control and monitor all functions on one or multiple iHP systems. The PowerPro GUI resides in the cloud so it is not sensitive to any particular platform and can be operated on any device connected to the internet. The PowerPro GUI also incorporates graphical script creation that allows users to write their own process control routines.

The iHP series employs average current mode (ACM) control, which has distinct advantages over peak current mode control where fast transient response and tight regulation is required. ACM control offers excellent stability over a wide load range, even when the converter transitions from discontinuous mode in to continuous mode due to high current loop gain. It directly controls the output inductor current and provides excellent line and load regulation.

Typical Dashboard. User configurable with drag and drop widgets assignable to any device, script timer or variable.



The PowerPro GUI incorporates a powerful script creator function that allows users to write their own process control routines.



About Artesyn Embedded Power

Artesyn Embedded Power, an Advanced Energy company, is a global leader in the design and manufacture of highly reliable power conversion solutions for a wide range of industries including communications, computing, server storage, healthcare and industrial. For more than 40 years, customers have trusted Artesyn to help them accelerate time-to-market and reduce risk with cost-effective power conversion solutions. Artesyn has over 8,000 employees worldwide across multiple engineering centers of excellence, wholly-owned world-class manufacturing facilities, and global sales and support offices. Artesyn Embedded Power is a registered, assumed name of Artesyn Embedded Technologies, Inc., an Advanced Energy company.

About Advanced Energy

Advanced Energy (Nasdaq: AEIS) is a global leader in the design and manufacturing of highly engineered, precision power conversion, measurement and control solutions for mission-critical applications and processes. AE's power solutions enable customer innovation in complex applications for a wide range of industries including semiconductor equipment, industrial manufacturing, telecommunications, data center computing server storage and healthcare. With engineering know-how and responsive service and support around the globe, the company builds collaborative partnerships to meet technology advances, propel growth for its customers and innovate the future of power. Advanced Energy has devoted more than three decades to perfecting power for its global customers and is headquartered in Fort Collins, Colorado, USA. For more information, visit www.advancedenergy.com.

Advanced Energy I Precision. Power. Performance.



Stay Connected.

The latest happenings are being posted on Linkedin, Twitter, Facebook, Weibo and WeChat! Sign up for one or all of the sites below and stay connected with Artesyn Embedded Power!

www.linkedin.com/company/artesyn www.facebook.com/artesynembedded www.twitter.com/artesynembedded www.youtube.com/user/artesynembedded www.weibo.com/artesynchina

WORLDWIDE OFFICES

Americas

2900 South Diablo Way Suite B100 Tempe, AZ 85282, USA +1 888 412 7832

Europe (UK)

Ground Floor Offices, Barberry House 4 Harbour Buildings, Waterfront West Brierley Hill, West Midlands DY5 1LN, UK +44 (0) 1384 842 211

Asia (HK)

14/F, Lu Plaza 2 Wing Yip Street Kwun Tong, Kowloon Hong Kong +852 2176 3333

Artesyn Embedded Technologies, Artesyn Embedded Power, Artesyn, and all Artesyn related logos are trademarks and service marks of Artesyn Embedded Technologies, Inc. All other names and logos referred to are trade names, trademarks, or registered trademarks of their respective owners. Specifications are subject to change without notice. © 2020 Artesyn Embedded Technologies, Inc. All rights reserved. For full legal terms and conditions, please visit www.artesyn.com/legal.



www.artesyn.com

For more information: www.artesyn.com
For support: productsupport.ep@artesyn.com