

Page 1 of 7

MSDS-E-L260Np

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 08/22/2012

1. PRODUCT IDENTIFICATION

1.1 Product Name:

DeoxIT® Grease, Type L260NP, (No Particles) (P/N L260Np)

1.2 Chemical Name

See ingredients listed in section 3

1.3 Synonyms

DeoxIT® Grease Type L260Np, (Part No. L260Np)

1.4 Trade Names:

DeoxIT® Grease Type L260Np

1.5 Product Use:

1.6

Lubricant

Manufacturer's Name:

CAIG Laboratories, Inc.

1.7 Manufacturer's Address:

12200 Thatcher Court, Poway, CA 92064-6876 USA

1.8 Emergency Phone:

CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-3887

1.9 Business Phone:

+1 (800)-224-4123

1.10 Other Product Names:

DeoxIT® Grease Type L260Np; P/N L260-N2C; P/N L260-N1; P/N L260-N8; P/N L260-N35

2. HAZARD IDENTIFICATION

2.1 Hazard Identification:

This product is classified as a HAZARDOUS SUBSTANCE but not as DANGEROUS GOODS according to the classification criteria of NOHSC: 1008(2004) and ADG Code (Australia).

DANGER! MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.

DeoxIT® Grease Type L260Np is non-volatile, non-hazardous and non-flammable. Accidental high-velocity injection under the skin of may result in serious injury. Seek immediate medical attention should an accident of this type occur. May cause respiratory irritation or other pulmonary effects following prolonged or repeated inhalation of oil mist at airborne levels above the recommend mineral oil mist exposure limit. Heating can generate vapors that may cause respiratory irritation, nausea and headaches, irritating to the upper respiratory tract.

Hazard Statements (H): H304 – May be fatal if swallowed and enters airways.

Precautionary Statements (P): P280 – Wear protective gloves and eye protection. P302 + P352 – IF ON SKIN – Wash with plenty of soap and water. P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P331 – Do NOT induce vomiting. P321 – Refer to section 4 of this Safety Data Sheet (First Aid). P305+P351+P338 – IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P405 – Store locked up. P501 – Dispose of contents/container through licensed treatment, storage or disposal facility.



2.2 Routes of Entry: Inhalation: YES Absorption: YES Ingestion: NO

EYES: Non-irritating when used as directed. Can cause irritation, tearing, and temporary blurred vision.

SKIN: Non-irritating when used as directed. Prolonged or repeated contact may cause temporary contact dermatitis

(localized redness or rash).

INGESTION: Not probable. Small amounts if swallowed may cause temporary gastrointestinal irritation.

INHALATION: Unlikely route of exposure. Should vapor concentrations exceed recommended exposure levels, they are

temporary irritating to the eyes, nose, throat, and the respiratory tract; may cause temporary headaches and

dizziness.

2.4 Symptoms of Overexposure

EYES: Non-irritating when used as directed. Can cause temporary irritation, tearing, and blurred vision.

SKIN: Non-irritating when used as directed. Prolonged or repeated contact may cause temporary contact dermatitis

(localized redness or rash).

INGESTION: Not probable. Small amounts if swallowed may cause temporary gastrointestinal irritation.

INHALATION: Unlikely route of exposure. Should vapor concentrations exceed recommended exposure levels, they are

temporary irritating to the eyes, nose, throat, and the respiratory tract; may cause headaches and dizziness.

2.5 Acute Health Effects:

EYES: None reported when used as directed. Mild to moderate temporary irritation.

SKIN: Unlikely when used as directed. Repeated exposure at site of contact may cause temporary contact dermatitis

(localized redness or rash).

INGESTION: Not probable. Small amount may cause temporary gastrointestinal irritation and central nervous system depression. INHALATION: Unlikely route of exposure. Should vapor concentrations exceed recommended exposure levels, they are

temporary irritating to the eyes, nose, throat, and the respiratory tract; may cause headaches and dizziness.

2.6 Chronic Health Effects:

None reported by the manufacturer.

2.7 Target Organs: Eyes, Skin

NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used NOTE: all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2010 format.



Page 2 of 7

MSDS-E-L260Np

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 08/22/2012

3. COMPOSITION & INGREDIENT INFORMATIO	NFORMATION	IENT II	INGRED	1 &	OSITION	COMP	3.
--	------------	---------	--------	-----	---------	------	----

						_							
						•	EXPO	SURE L	IMITS IN	N AIR (mg/m³	3)	
					AC	GIH		NOHSC	2		OSHA		
					pp	m		ppm			ppm		OTHER
							ES-	ES-	ES-				
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	
LITHIUM GREASE LUBRICATING BASE OIL CONTAINING ONE OR MORE OF THE FOLLOWING INGREDIENTS:			S :	60-100	NA	NA	NF	NF	NF	NA	NA	NA	
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC	64742-65-0	SE7500000	265-169-7	NA	5	10	NF	NF	NF	5	10	NA	RESP MIST
RESIDUAL OILS (PETROLIUM) SOLVENT-REFINED	64742-01-4	NA	265-101-6	NA	5	10	NF	NF	NF	5	10	NA	RESP MIST
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC	64741-88-4	PY8040500	265-090-8	NA	5	10	NF	NF	NF	5	10	NA	RESP MIST
ZINC ALKYLDITHIOPHOSPHATE	68649-42-3	NA	272-028-3	NA	NA	NA	NF	NF	NF	NA	NA	NA	
DeoxIT® PROPRIETARY MIX	TRADE SECRE	T		NA	NA	NA	NF	NF	NF	NA	NA	NA	

4. FIRST AID MEASURES

4.1 First Aid:

EYES: As a precaution remove contact lenses if worn and flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If irritation persists, seek immediate medical attention.

Remove contaminated clothing. Use a waterless hand cleaner, mineral oil, or petroleum jelly to remove the material. Then wash the skin with soap and water If irritation persists, seek prompt medical attention. Do not wear

contaminated clothing until after it has been properly cleaned.

INGESTION: Do not induce vomiting! As a precaution give the person a glass of water or mil to drink and get medial attention

immediately.

INHALATION: Vapor inhalation under ambient conditions is normally not a problem. If overcome by vapor of hot product

immediately remove victim to fresh air at once. If breathing is difficult, administer supplemental oxygen and seek

EYES

SKIN

immediate medical attention. If breathing stops, perform artificial respiration.

4.2 Medical Conditions Aggravated by Exposure:
None reported by the manufacturer.

HEALTH

FLAMMABILITY

O

PHYSICAL HAZARDS

O

PROTECTIVE EQUIPMENT

B

5. FIREFIGHTING MEASURES

> 244 °C (471 °F) COC (Cleveland Open Cup)

5.2 Autoignition Temperature:

Flashpoint & Method:

NA

5.1

SKIN:

5.3 Flammability Limits: Lower Explosive Limit (LEL): ND Upper Explosive Limit (UEL):

5.4 Fire & Explosion Hazards:

Carbon dioxide, carbon monoxide, hydrocarbons.

5.5 Extinguishing Methods:CO₂, Alcohol foam, Dry Chemical, Water Fog

5.6 Firefighting Procedures:

Wear NIOSH/MSHA approved self-contained breathing apparatus and protective clothing. Use a water spray to cool containers involved in fire. Do not use direct water stream. Container storage areas exposed to direct flame contact should be cooled with large quantities of water as needed to prevent weakening of container structure. Keep containers cool until well after the fire is out to prevent rupture. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway.



ND



Page 3 of 7

MSDS-E-L260Np

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 08/22/2012

6. ACCIDENTAL RELEASE MEASURES

6.1 Spills:

Secure spill area and deny entry to all unprotected individuals. Individuals involved in the cleanup should wear appropriate personal protective equipment. Area may become slippery. Absorb product onto porous material, such as sand, clay, diatomaceous earth or commercial absorbent material. Place into leak-proof, approved containers. If necessary, cover all drains and dike well ahead of the spill to prevent runoff into sewers, drains, and all waterways. Contact appropriate local or provincial authorities for assistance and/or reporting requirements.

7. HANDLING & STORAGE INFORMATION

7.1 Work & Hygiene Practices:

Wash hands thoroughly after using this product and before eating, drinking, or smoking. Remove soiled clothing to prevent prolonged skin contact.

7.2 Storage & Handling:

Store at temperatures between 59 °F and 95 °F (15 °C and 35 °C) in a dry, well-ventilated location. Keep away from heat, sparks, open flame, and other sources of ignition. Container is not designed to contain pressure. Don not use pressure to empty container or it may rupture with explosive force. Normal shelf-life: 2-3 years.

7.3 Special Precautions:

Empty containers may contain product residues. Avoid contaminating soil or releasing this material into sewage and drainage systems and bodies of water.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1 Ventilation & Engineering Controls

Use with adequate ventilation (e.g., open doors and windows, local exhaust ventilation). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station).

8.2 Respiratory Protection:

None required, when used with adequate ventilation. If user operations generate an oil mist, use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below the recommended mineral oil mist exposure limits.

8.3 Eye Protection

Wear safety glasses with side shields (ANSI Z87) under normal use conditions.

8.4 Hand Protection

None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. In such cases, wear rubber or impervious plastic gloves.

8.5 Body Protection:

Use as necessary to prevent skin contact.

9. PHYSICAL & CHEMICAL PROPERTIES

9.1	Density:	0.72
9.2	Boiling Point:	> 240 °C (464 °F)
9.3	Melting Point:	NA
9.4	Evaporation Rate:	NA
9.5	Vapor Pressure:	< 0.01 mm Hg @ 20 °C (68 °F)
9.6	Molecular Weight:	NA
9.7	Appearance & Color:	Amber
9.8	Odor Threshold:	Ethereal/hydrocarbon odor
9.9	Solubility:	Not soluble in water
9.10	Ph	NA
9.11	Viscosity:	5.4 – 7.5 cSt @ 104 °F
9.12	Other Information:	NA



Page 4 of 7

MSDS-E-L260Np

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards MSDS Revision: 2.0 MSDS Revision Date: 08/22/2012

		10. STABILITY & REACTIVITY
10.1	Stability:	
	Stable under normal co	onditions of use (see section 7).
10.2	Hazardous Decomposition Prod	ducts:
	Change in color signifie	es exposure to ultraviolet light or exceeding shelf life. Will not degrade to unstable products. Discard solution.
10.3	Hazardous Polymerization:	
	Will not occur.	
10.4	Conditions to Avoid:	
	Use or storage near op heavily trafficked areas	en flames, sparks, high heat (>100 $^{\circ}$ F) or other heat sources, and proximity to incompatible substances and s.
10.5	Incompatible Substances:	
	Strong oxidizers such a	s peroxides, nitrates, and chlorates.
		11. TOXICOLOGICAL INFORMATION
11.1	Toxicity Data:	
		een tested on animals to obtain toxicological data. There are toxicology data for the components of this and in the scientific literature. These data have not been presented in this document.
11.2	Acute Toxicity:	
	See section 2.5	
11.3	Chronic Toxicity:	
	See section 2.6	
11.4	Suspected Carcinogen:	
	No. This product conta	ins less than 3% Dimethyl Sulfoxide (DMSO).
11.5	Reproductive Toxicity:	
	This product is not repo	rted to produce reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans. This product contains alkyl dithiophosphates (ZDDPs). Several ZDDPs have been reported to have weak mutagenic activity in cultured mammalian cells but only at concentrations that were toxic.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to produce teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to produce reproductive effects in humans.
11.6	Irritancy of Product:	
	See Section 2.3	
11.7	Biological Exposure Indices:	
	NE	
11.8	Physician Recommendations:	
	Treat symptomatically.	
		12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	
10.0		volatile from soil. Components of this product will slowly decompose into organic compounds.
12.2	Effects on Plants & Animals: There is no specific da	ta available for this product.
12.3	Effects on Aquatic Life:	•
		e kept out of sewage and drainage systems and all bodies of water. Releases of large volumes of this product irmful or fatal to overexposed aquatic life.
		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	13. DISI OSAL CONSIDERATIONS
	Dispose of in accordan	ce with federal, state or local regulations.
13.2	Special Considerations:	



Page 5 of 7

MSDS-E-L260Np

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 08/22/2012

14. TRANSPORTATION INFORMATION

The basic description (proper shipping name, hazard class & division, ID Number, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

14.1	49 CFR (GND):	
	NOT REGULATED	
14.2	IATA (AIR):	
	NOT REGULATED	
14.3	IMDG (OCN):	
	NOT REGULATED	
14.4	TDGR (Canadian GND):	
	NOT REGULATED	
14.5	ADR/RID (EU):	
	NOT REGULATED	
14.6	MEXICO (SCT):	
	NOT REGULATED	
14.7	ADGR (AUS):	
	NOT REGULATED	

15. REGULATORY INFORMATION

SARA Reporting Requirements:

This product contains the following chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-to-know Act of 1986 and of CFR 372; 68649-42-3 Zinc Alkyldithiophosphate

15.2 SARA Threshold Planning Quantity:

NA

15.3 TSCA Inventory Status:

All chemical substances of this product are listed on the TSCA inventory or are otherwise exempt from inventory status.

15.4 CERCLA Reportable Quantity (RQ):

This product has no CERCLA Reportable Quantity. However, release into a waterway may require reporting to the National Response Center.

15.5 Other Federal Requirements:

NA

15.6 Other Canadian Regulations

This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.



15.7 State Regulatory Information:

Components of this product are <u>not</u> listed on any of the following state criteria lists: California OSHA/California Proposition 65 (CA); Massachusetts Right to Know List (MA); Pennsylvania Hazardous Substances List 34 323 Appendix A (PA); Wisconsin Hazardous Substances List NR 605.09 (WI); Minnesota Hazardous Substances List (MN); New Jersey Right to Know List (NJ); New York Right to Know List (NY); Michigan Critical Substances List (MI); and Florida Toxic Substances List (FL).

Under New Jersey Right to Know Act L.-1983 this product is to be identified as follows: Petroleum Oil (Grease).

15.8 67/548/EEC (European Union) Requirements:

The primary component of this product is not listed in Annex I of EU Directive 67/548/EEC.

The highly refined mineral oil contains < 3% (w/w%) DMSO extract, according to IP346.

DANGER! MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.

Hazard Statements (H): H304 – May be fatal if swallowed and enters airways.

<u>Precautionary Statements</u> (P): P280 – Wear protective gloves and eye protection. P302 + P352 – IF ON SKIN – Wash with plenty of soap and water. P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P331 – Do NOT induce vomiting. P321 – Refer to section 4 of this Safety Data Sheet (First Aid). P305+P351+P338 – IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P405 – Store locked up. P501 – Dispose of contents/container through licensed treatment, storage or disposal facility.





Page 6 of 7

MSDS-E-L260Np

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 08/22/2012

	16. OTHER INFORMATION						
16.1	Other Information:						
	NA						
16.2	Terms & Definitions:						
	See last page of this MSDS.						
16.3	Disclaimer:						
	government regulations must be revi- knowledge, the information contained are not guaranteed and no warrantie relates only to the specific product(offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other ewed for applicability to this product. To the best of ShipMate's & CAIG Laboratories, Inc.'s I herein is reliable and accurate as of this date; however, accuracy, suitability or completeness of any type, either expressed or implied, are provided. The information contained herein s). If this product(s) is combined with other materials, all component properties must be om time to time. Be sure to consult the latest edition.					
16.4	Prepared for: CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 Tel: +1 (800) CAIG-123 (244-4123) Fax: +1 (858) 486-8398 fax http://www.caig.com/	CAIG LABORATORIES, INC.					
16.5	Prepared by: ShipMate, Inc. P.O. Box 787 780 Buckaroo Trail Suite D Sisters, OR 97759 Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate Dangerous Goods Training & Consulting					



Page 7 of 7

MSDS-E-L260Np

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 08/22/2012

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

	CAS No.	Chemical Abstract Service Number
--	---------	----------------------------------

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV	Threshold Limit Value
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDIH	Immediately Dangerous to Life and Health

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose
	heart has stopped receives manual chest compressions and breathing
	to circulate blood and provide oxygen to the body


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:







OTHER STANDARD ABBREVIATIONS:


NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCRA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILIT	Y LIMITS IN AIR:
Autoignition	Minimum temperature required to initiate combustion in air with no
Temperature	other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that
	will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume,
	that will explode or ignite in the presence of an ignition source

HAZARD RATINGS:

0	Minimal Hazard				
1	Slight Hazard				
2	Moderate Hazard Severe Hazard Extreme Hazard				
3					
4					
ACD	Acidic				
ALK	Alkaline				
COR	Corrosive				
₩	Use No Water				
OX	Oxidizer				
TREFOIL	Radioactive				



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s					
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal					
ppm	Concentration expressed in parts of material per million parts					
TD _{Io}	Lowest dose to cause a symptom					
TCLo	Lowest concentration to cause a symptom					
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic					
TC, TCo, LCio, & LCo	effects					
IARC	International Agency for Research on Cancer					
NTP	National Toxicology Program					
RTECS	Registry of Toxic Effects of Chemical Substances					
BCF	Bioconcentration Factor					
TLm	Median threshold limit					
log Kow or log Koc	Coefficient of Oil/Water Distribution					

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL Canadian Domestic Substance List						
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					
WGK	WGK Wassergefährdungsklassen (German Water Hazard Class)					

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

\oslash		(A)		(T)	®		R
Α	В	С	D1	D2	D3	E	F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

		M	*			×	×
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			<u>(!)</u>		***
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment