# PL Series 5 Tumbler Miniature Camlocks



### Features/Benefits

- Cost-effective security
- Custom cams available

### **Typical Applications**

- Office furniture
- Cash registers
- Copy machines

### **Specifications**

INDEXING: 90°: 2 positions.

NOTE: Specifications and materials listed above are for camlocks with standard options. For information on specific and custom camlocks, consult Customer Service Center

#### **Materials**

LOCK: 6/6 nylon (UL 94V-2). Color, black.

5 tumbler, single bitted lock with integral detent mechanism.


KEYS: Two nickel plated brass keys with black plastic insert molded

head.

CAM: 6/6 nylon (UL 94V-2).

#### **Build-A-Switch**

To order, simply select desired option from each category and place in the appropriate box. Available options are shown and described on pages L-45 and L-46. For additional options not shown in catalog, consult Customer Service Center.





# LOCK FUNCTION


MODEL NO.	KEY PULL POSITIONS	LOCK CONFIGURATION	INDEXING
PL001U	Positions 1 & 2	POS. 1 POS. 2	90°
.625 DIA (12,70) .400 (15,87¢) .625 (15,88)			

#### LEGEND

- = Detent Position (90°)
- lacktriangle = Key pull possible in these positions.
- = Stop Positions

# KEYING KEY COLOR

TWO NICKEL PLATED BRASS KEYS WITH INSERT MOLDED PLASTIC HEAD




OPTION CODE	KEY COLOR
2	BLACK

Key part number: 334C1004102

NOTE: All orders keyed alike, standard. For more than one key code, replacement keys, or other special features, consult Customer Service Center



5 TUMBLER LOCK WITH DETENT




OPTION CODE	LOCK COLOR
2	BLACK

#### LOCK FINISH ----

PLASTIC LOCK WITH MATTE FINISH






Dimensions are shown: Inch (mm) Specifications and dimensions subject to change



**PL Series** 

# **5 Tumbler Miniature Camlocks**

CAM ---





**NOTE:** Cam not assembled to switch. Other cam lengths and styles available, consult Customer Service Center.

LOCK STYLE

CONE SHAPED FACING

#### PANEL MOUNTING





Panel thickness: .050-.080 (1,27-2,03)

## **AVAILABLE HARDWARE**



Key Code: 041 PART NO. (ONE KEY)

334C1004102 BLACK

Material: Brass Finish: Nickel plate 6/6 Nylon insert molded head

