



**ebm-papst St. Georgen GmbH & Co. KG**

Hermann-Papst-Str. 1

D-78112 St. Georgen

Phone +49 (0) 7724 81-0

Fax +49 (0) 7724 81-1309

[info2@de.ebmpapst.com](mailto:info2@de.ebmpapst.com)

[www.ebmpapst.com](http://www.ebmpapst.com)



**Technical description**

|                                                |                                    |
|------------------------------------------------|------------------------------------|
| <b>Weight</b>                                  | 0.250 kg                           |
| <b>Dimensions</b>                              | 119 x 119 x 32 mm                  |
| <b>Impeller material</b>                       | Glass-fiber reinforced PA plastic  |
| <b>Housing material</b>                        | Glass-fiber reinforced PBT plastic |
| <b>Part no.</b>                                | 9293510707                         |
| <b>Airflow direction</b>                       | Exhaust over struts                |
| <b>Direction of rotation</b>                   | Clockwise, viewed toward rotor     |
| <b>Storage</b>                                 | Ball bearing                       |
| <b>Service life L10 at 40 °C</b>               | 95.000 h                           |
| <b>Service life L10 at maximum temperature</b> | 37.500 h                           |
| <b>Cable</b>                                   | With leads AWG 24, TR 64           |
| <b>Approval</b>                                | VDE, CSA, UL, CE                   |

[illegible]

## Curves

