

Specification Sheet

Part Number: 596-00382



Phase label, 1" x .5", PET, White, 2500/roll

|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Number      | 596-00382                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Type                | PLW3P                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Color               | White (WH)                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Features & Benefits | <ul style="list-style-type: none"><li>• Thermal transfer labels are made with high-performance materials for long-term industrial applications.</li><li>• Labels can be printed in any standard thermal transfer printer giving the user options for printing and eliminating the need to be dedicated to one printer model.</li><li>• The labels are available in a wide variety of sizes so that finding a label for a particular application is easy.</li></ul> |
| Quantity Per        | roll                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Product Description | Phase labels are microperforated between each label so that it can be applied as one strip to the panel or broken into individual labels.                                                                                                                                                                                                                                                                                                                          |

|                          |                                              |
|--------------------------|----------------------------------------------|
| <b>Short Description</b> | Phase label, 1" x .5", PET, White, 2500/roll |
|--------------------------|----------------------------------------------|

|                         |              |
|-------------------------|--------------|
| <b>Global Part Name</b> | PLW3P-PET-WH |
|-------------------------|--------------|

|                              |                                   |
|------------------------------|-----------------------------------|
| <b>Technical Description</b> | Phase label, 1" X .5", PET, White |
|------------------------------|-----------------------------------|

|                             |           |
|-----------------------------|-----------|
| <b>Local Order Number 2</b> | 596-00382 |
|-----------------------------|-----------|

|                           |     |
|---------------------------|-----|
| <b>Width W (Imperial)</b> | 1.0 |
|---------------------------|-----|

|                         |      |
|-------------------------|------|
| <b>Width W (Metric)</b> | 25.4 |
|-------------------------|------|

|                             |      |
|-----------------------------|------|
| <b>Thickness T (Metric)</b> | 64.0 |
|-----------------------------|------|

|                            |     |
|----------------------------|-----|
| <b>Height H (Imperial)</b> | 0.5 |
|----------------------------|-----|

|                          |      |
|--------------------------|------|
| <b>Height H (Metric)</b> | 12.7 |
|--------------------------|------|

|                                |       |
|--------------------------------|-------|
| <b>Width of Liner (Metric)</b> | 85.09 |
|--------------------------------|-------|

|                                  |      |
|----------------------------------|------|
| <b>Width of Liner (imperial)</b> | 3.35 |
|----------------------------------|------|

|                 |                 |
|-----------------|-----------------|
| <b>Material</b> | Polyester (PET) |
|-----------------|-----------------|

|                          |     |
|--------------------------|-----|
| <b>Material Shortcut</b> | PET |
|--------------------------|-----|

|                 |         |
|-----------------|---------|
| <b>Adhesive</b> | Acrylic |
|-----------------|---------|

|                                       |                                   |
|---------------------------------------|-----------------------------------|
| <b>Halogen free</b>                   | No                                |
| <b>Operating Temperature (Metric)</b> | -40°F to +300°F (-40°C to +149°C) |
| <b>Reach Complaint(Article 33)</b>    | Yes                               |
| <b>ROHS Complaint</b>                 | Yes                               |
| <b>UL Recognized (US)</b>             | Yes                               |
| <b>Package Quantity(Imperial)</b>     | 2500                              |
| <b>Package Quantity (Metric)</b>      | 2500                              |
| <b>Customs Number</b>                 | 3919102055                        |
| <b>Labels per Column</b>              | 3                                 |
| <b>Labels per Row</b>                 | 3                                 |
| <b>Weight (Metric)</b>                | 0.31                              |
| <b>Weight (Imperial)</b>              | 0.7                               |