

Specification Sheet

Part Number: PFCSC



Connector, Fiber Optic SC Multimode OM1 (62.5/125), Pre-Polished (Cleave & Insert), 1/Pkg

Article Number	855-14215
----------------	-----------

Type	PFCSC
------	-------

Color	Beige (BGE)
-------	-------------

Features & Benefits	• Factory-polished zirconia ceramic ferrules for quick and reliable field installations. • Unique wedge clip retains connector shape for precision connection. • Easy to use- no epoxy, heat curing, polishing or special tools required. • Color coded for easy identification. • Meet ANSI/TIA/EIA 568-C standards. • Meet ANSI/TIA/EIA 604 (FOCIS) connector interface requirements.
---------------------	---

Quantity Per	bag
--------------	-----

Product Description	Pre-polished connectors provide high performance and eliminate the need for the time consuming task of hand polishing ferrules in the field. A factory pre-cleaved fiber stub and index-matching gel combine to offer an immediate low loss termination of single mode or multimode fiber.
Short Description	Connector, Fiber Optic SC Multimode OM1 (62.5/125), Pre-Polished (Cleave & Insert), 1/Pkg
Global Part Name	PFCSC
Technical Description	Pre-Polished SC 62.5/125 Multimode Fiber Connector, Beige
Port Count	2
Width W (Metric)	28
Height H (Metric)	9.3
Package Quantity(Imperial)	1
Package Quantity (Metric)	1
Customs Number	8536700000

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)