

Specification Sheet

Part Number: TAG11T4-822C

Product Image Thermal Transfer Labels, .65" x .2", 4 Across, Polyester, Clear, 5000/roll

Article Number	596-00003
----------------	-----------

Type	TAG11T4
------	---------

Color	Clear (CL)
-------	------------

Features & Benefits	• Thermal transfer labels are made with high performance materials for long term industrial applications. • Labels can be printed in any standard thermal transfer printer giving the user options for printing and eliminating the need to be dedicated to one printer model. • The labels are available in a wide variety of sizes so that finding a label for a particular application is easy.
---------------------	--

Quantity Per	roll
--------------	------

Product Description	Labels are made with various high performance materials including polyester, metalized polyester, clear polyester, cloth, polyimide and the Durattach label stock. The construction includes an aggressive acrylic adhesive and abrasion and chemical resistant top coatings that are made to accept ink from a thermal transfer printer. The product is supplied on rolls on a 3" cardboard core.
---------------------	--

Short Description	Thermal Transfer Labels, .65" x .2", 4 Across, Polyester, Clear, 5000/roll
-------------------	--

Global Part Name	TAG11T4-822C-CL
------------------	-----------------

Width W (Imperial)	0.65
---------------------------	------

Width W (Metric)	16.5
-------------------------	------

Bundle Diameter Min (Imperial)	.14
---------------------------------------	-----

Bundle Diameter Min (Metric)	3.80
-------------------------------------	------

Bundle Diameter Max (Imperial)	0.29
---------------------------------------	------

Bundle Diameter Max (Metric)	7.37
-------------------------------------	------

Thickness T (Metric)	64.0
-----------------------------	------

Height H (Imperial)	0.2
----------------------------	-----

Height H (Metric)	5.08
--------------------------	------

Width of Liner (Metric)	66.04
--------------------------------	-------

Width of Liner (imperial)	2.60
----------------------------------	------

Material	Type 822C, Clear Polyester (822C)
-----------------	-----------------------------------

Material Shortcut	822C
--------------------------	------

Adhesive	Acrylic
-----------------	---------

Halogen free	No
---------------------	----

Adhesive Operating Temperature	-51°F to +200°F (-46°C to +93°C)
Operating Temperature (Metric)	-40°F to +302°F (-40°C to +150°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Certification/Specification WEB	UL-Recognized
UL Recognized (US)	Yes
UL Recognized (US and Canada)	Yes
Package Quantity(Imperial)	5000
Package Quantity (Metric)	5000
Customs Number	3919102055
Labels per Column	1
Labels per Row	4
Weight (Metric)	0.521
Weight (Imperial)	1.14

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)