

Specification Sheet

Part Number: TAG96T1-336



Thermal Transfer Labels, 1.875" x .25", 1 Across, Polyester, White, 5000/roll

|                     |                                                                                                                                                                                                                                                                |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Number      | 596-00026                                                                                                                                                                                                                                                      |
| Type                | TAG96T1                                                                                                                                                                                                                                                        |
| Color               | White (WH)                                                                                                                                                                                                                                                     |
| Features & Benefits | <ul style="list-style-type: none"><li>• White polyester is glossy, allowing for the highest resolution and print contrast.</li><li>• The acrylic-based adhesive bonds to a wide variety of substrates and can withstand high temperatures long term.</li></ul> |
| Quantity Per        | roll                                                                                                                                                                                                                                                           |

|                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product Description</b>            | HellermannTyton white polyester labels are ideal for marking small electrical and electronic components, such as EPROMS', Integrated circuits, as well as the circuit board itself. Printed labels can withstand the soldering process and survive flux removal when the board is washed. HellermannTyton's 336 material is designed for use on flat surfaces and can also be used to identify connectors, buttons and just about anything requiring permanent, durable, high temperature and UV resistant marking. |
| <b>Short Description</b>              | Thermal Transfer Labels, 1.875" x .25", 1 Across, Polyester, White, 5000/roll                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Global Part Name</b>               | TAG96T1-336-WH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Width W (Imperial)</b>             | 1.9                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Width W (Metric)</b>               | 48.2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Bundle Diameter Min (Imperial)</b> | .81                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Bundle Diameter Min (Metric)</b>   | 2.80                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Bundle Diameter Max (Imperial)</b> | 10.87                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Bundle Diameter Max (Metric)</b>   | 47.50                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Thickness T (Metric)</b>           | 64.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Height H (Imperial)</b>            | 0.25                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Height H (Metric)</b>              | 6.35                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Width of Liner (Metric)</b>        | 50.8                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

|                                        |                                   |
|----------------------------------------|-----------------------------------|
| <b>Width of Liner (imperial)</b>       | 2.0                               |
| <b>Material</b>                        | Type 336, Polyester (336)         |
| <b>Material Shortcut</b>               | 336                               |
| <b>Adhesive</b>                        | Acrylic                           |
| <b>Halogen free</b>                    | No                                |
| <b>Adhesive Operating Temperature</b>  | -40°F to +194°F (-40°C to +90°C)  |
| <b>Operating Temperature (Metric)</b>  | -40°F to +302°F (-40°C to +150°C) |
| <b>Reach Complaint(Article 33)</b>     | Yes                               |
| <b>ROHS Complaint</b>                  | Yes                               |
| <b>Certification/Specification WEB</b> | UL-Recognized                     |
| <b>UL Recognized (US)</b>              | Yes                               |
| <b>Package Quantity(Imperial)</b>      | 5000                              |
| <b>Package Quantity (Metric)</b>       | 5000                              |
| <b>Customs Number</b>                  | 3919102055                        |

|                          |      |
|--------------------------|------|
| <b>Labels per Column</b> | 1    |
| <b>Labels per Row</b>    | 1    |
| <b>Weight (Metric)</b>   | 0.68 |
| <b>Weight (Imperial)</b> | 1.48 |