Saia-Burgess USA Inc.

801 Scholz Drive, Vandalia, Ohio 45377

Toll Free: (800) 998-2298 Telephone: (937) 454-2345 Fax: (937) 898-8624

Web site: www.saia -burgess -usa.com

Ledex > Linear Solenoids & Actuators > Low Profile Linear Solenoids > Low Profile Linear Solenoids > Item # 195204 -227

Item # 195204-227, STA® Series Tubular Solenoids



larger image

- **Power:** Average power consumption; high force output.
- Housing: STA® Series case provides greater shock and vibration integrity
- Functional Advantages: Ideal for high force, short stroke applications; on/off operation
- Life*: Extraordinary life of 25+ million actuations
- Operation: Push/pull engagement; well -suited to lock/latch operations
- ? Size: 9 sizes from 1/2" to 1 3/4" diameter and 1" to 4 3/4" long
- ? Force: Up to 22 lbs
- ? Stroke: Up to 2 1/2"

Specifications	
Resistance	5.27 ohms
Power rating (DC W) @ 100% duty	7
Power rating (DC W) @ 50% duty	14
Power rating (DC W) @ 25% duty	28
Power rating (DC W) @10% duty	70
Force at Start of Stroke -100% duty- (lbs)	2.20
Force at Start of Stroke - 50% duty- (lbs)	3
Force at Start of Stroke - 25% duty- (lbs)	3.8
Force at Start of Stroke - 10% duty- (lbs)	5
Force at Nominal Stroke and 100% Duty - (lbs)	0.5
Force at Nominal Stroke and 50% Duty- (lbs)	1.00
Force at Nominal Stroke and 25% Duty- (lbs)	1.50
Force at Nominal Stroke and 10% Duty- (lbs)	2.50
Force at end of Stroke-100% duty- (lbs)	0.13
Force at end of Stroke- 50% duty- (lbs)	0.25
Force at end of Stroke- 25% duty- (lbs)	0.50
Force at end of Stroke- 10% duty- (lbs)	1
Construction	Tubular
Action	pull
Body Length	1.5 in