

DETAILS

Product Number	C10271_LEDILSTAR-P-S
Family	LedilStar
Type	Lens
Color	clear
Diameter	35 mm
Height	24,6 mm
Style	round
Optic Material	PMMA
Holder Material	
Fastening	screw, glue
Status	ready
ROHS Compliant	Yes
Date Updated	25/04/2014

OPTICAL PROPERTIES

	Viewing	Light	Effi-		
LED	Angle	Beam	ciency	cd/lm	Connector
Ostar Projection	12 deg	Spot	-	-	-







D

C

B

A




Isometric view 1:1

Tolerances if not otherwise shown
According to DIN ISO 2768-1
Linear measures:
Up to 30mm class M, otherwise class C.
According to DIN ISO 2768-2
Form and position: class L

LEDiL

Ledil Oy
Salorankatu 10
FIN 24240 SALO
Finland

THIRD ANGLE PROJECTION:



DRAWING TITLE

Datasheet_Ledilstar-P

This drawing is the property
of LEDiL Oy. It may not be
reproduced, copied or
communicated without a written
agreement with LEDiL Oy."

SIZE

A4

PART NUMBER

-

SCALE

3:2

WEIGHT

-

SHEET

1/1

D

A

NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.