


DETAILS


Product Number	C14119_STRADA-SQ-FS2
Family	Strada-SQ
Type	Lens
Color	clear
Diameter	25x25 mm
Height	8 mm
Style	square
Optic Material	PMMA
Holder Material	
Fastening	screw, pin, glue
Status	ready
ROHS Compliant	Yes
Date Updated	8/05/2014




OPTICAL PROPERTIES

LED	Viewing Angle	Light Beam	Efficiency	cd/lm	Connector
MK-R	Asymmetric deg	Streetligh...	84 %	0.400	-
LUXEON M	asymmetric deg	Streetligh...	86 %	0.400	-
XHP70	Asymmetric deg	Streetligh...	80 %	0.400	: Protective Plate, Glass




Tolerances if not otherwise shown According to DIN ISO 2768-1 Linear measures: Up to 30mm class M, otherwise class C. According to DIN ISO 2768-2 Form and position: class L		LEDiL Ledil Oy Salorankatu 10 FIN 24240 SALO Finland	
THIRD ANGLE PROJECTION: 		DRAWING TITLE Datasheet STRADA-SQ-FS2	
This drawing is the property of LEDiL Oy. It may not be reproduced, copied or communicated without a written agreement with LEDiL Oy.		SIZE A4	PART NUMBER -
		SCALE 2:1	WEIGHT -
		SHEET 1 / 1	


Luminaire: LEDiL Oy C14119_STRADA-SQ-FS2_(MK-R)+glass Eff.83.8%
Lamps: 1 x Cree_MK-R_354.207lm@250mA_CCT=3276K_P=2.84547W_I=249.8mA




Luminaire: LEDiL Oy STRADA-SQ-FS2 & STRADA-SQ-FS2-NP_(LUXEON_M)_glass
Lamps: 1 x LUXEON_M_(LXR7-SW30)_375lm@250mA_P=2.79W_I=249.8mA




Luminaire: LEDiL Oy C14119_STRADA-SQ-FS2 (XHP70)_glass
Lamps: 1 x Cree_XHP70_glass-chassis_260.488lm@250mA_P=1.38405W_I=0.2499A




Luminaire: LEDiL Oy C14119_STRADA-SQ-FS2_(MK-R)+glass Eff.83.8%
Lamps: 1 x Cree_MK-R_354.207lm@250mA_CCT=3276K_P=2.84547W_I=249.8mA



Luminaire: LEDiL Oy STRADA-SQ-FS2 & STRADA-SQ-FS2-NP_(LUXEON_M)_glass
Lamps: 1 x LUXEON_M_(LXR7-SW30)_375lm@250mA_P=2.79W_I=249.8mA



Luminaire: LEDiL Oy C14119_STRADA-SQ-FS2_(XHP70)_glass
Lamps: 1 x Cree_XHP70_glass-chassis_260.488lm@250mA_P=1.38405W_I=0.2499A



NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.