



PRODUCT DATASHEET

Florentina series

last update 20/9/2016


DETAILS

Product Number	C14446_FLORENTINA-SHD
Family	Florentina
Type	Shade
Color	black
Diameter	286,8+27,45 mm
Height	22,5 mm
Style	rectang
Optic Material	
Holder Material	
Fastening	pin, glue
Status	production ready
ROHS Comliant	Yes
Date Updated	20/09/2016


OPTICAL PROPERTIES

	Viewing	Light	Effi-		
LED	Angle	Beam	ciency	cd/lm	Connector
XP-G	N/A deg		-	-	-






INDEX	PART NO	DESCRIPTION	MATERIAL	COLOUR
1			PC	black

Tolerances if not otherwise shown According to DIN ISO 2768-1 Linear measures: Up to 30mm class C, otherwise class C. According to DIN ISO 2768-2 Form and position: class L THIRD ANGLE PROJECTION: 		LEDiL Ledil Oy Salorankatu 10 FIN 24240 SALO Finland		
		DRAWING TITLE Datasheet FLORENTINA-SHD		
DRAWN BY pasi.vallevuori	DATE 4.9.2014	SIZE A3	PART NUMBER C14446	REV
CHECKED BY	DATE	DESIGNED BY	DATE	
LEDiL PROPRIETARY		This drawing is the property of LEDiL Oy. It may not be reproduced, copied or communicated without a written agreement with LEDiL Oy.		

LEDiL PROPRIETARY

This drawing is the property of LEDiL Oy. It may not be reproduced, copied or communicated without a written agreement with LEDiL Oy.

Tolerances if not otherwise shown According to DIN ISO 2768-1 Linear measures: Up to 30mm class C, otherwise class C. According to DIN ISO 2768-2 Form and position: class L THIRD ANGLE PROJECTION: 		LEDiL Ledil Oy Salorankatu 10 FIN 24240 SALO Finland		
		DRAWING TITLE Datasheet FLORENTINA-SHD		
DRAWN BY pasi.vallevuori	DATE 4.9.2014	SIZE A3	PART NUMBER C14446	REV
CHECKED BY	DATE	DESIGNED BY	DATE	
LEDiL PROPRIETARY		This drawing is the property of LEDiL Oy. It may not be reproduced, copied or communicated without a written agreement with LEDiL Oy.		

NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.