


DETAILS


Product Number	F15216_FLORENCE-1R-GC-Z90
Family	Florence
Type	Lens array
Color	clear
Diameter	282,6x19 mm
Height	8,3 mm
Style	rectang
Optic Material	PMMA
Holder Material	
Fastening	clips
Status	sample approved
ROHS Comliant	Yes
Date Updated	6/02/2017



OPTICAL PROPERTIES

LED	Viewing	Light	Effi-		Connector
	Angle	Beam	ciency	cd/lm	
NF2x757D	sim: 90	REC-class	sim: 92 %	-	-
LM561B	87 deg	REC-class	94 %	0.500	-






Fastening options

2x M3 screws






or



2-4x Florence-1R clips



Typical FLORENCE-1R shown



Max torque for screw: 0.6Nm



Tolerances if not otherwise shown According to DIN ISO 2768-1 Linear measures: up to 30mm class M, otherwise class C According to DIN ISO 2768-2 Form and position: class L		LEDiL Ledil Oy Salorankatu 10 FIN 24240 SALO Finland			
THIRD ANGLE PROJECTION:		DRAWING TITLE Datasheet			
This drawing is the property of LEDiL Oy. It may not be reproduced, copied or communicated without a written agreement with LEDiL Oy.		SIZE A3	PART NUMBER F15216_FLORENCE-1R-GC-Z90		
		SCALE 1:1	WEIGHT		SHEET 3/3


H

G


B

A

Luminaire: Ledil F15216_FLORENCE-1R-GC-Z90_(LM561B+)
Lamps: 1 x Samsung_LM561B+_1399.64lm@250mA_P=9.1355W_I=0.25A



Luminaire: Ledil F15216_FLORENCE-1R-GC-Z90_(LM561B+)
Lamps: 1 x Samsung_LM561B+_1399.64lm@250mA_P=9.1355W_I=0.25A



NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.