

DETAILS


Product Number	FCN12103_IRIS-SCREW
Family	Iris
Type	Pack
Color	black
Diameter	38 mm
Height	27,3 mm
Style	round
Optic Material	PMMA
Holder Material	PC
Fastening	screw, glue
Status	ready
ROHS Compliant	Yes
Date Updated	22/09/2015




OPTICAL PROPERTIES

LED	Viewing Angle	Light Beam	Effi- ciency	cd/lm	Connector
XM-L	9 deg	Spot	91 %	-	-
XM-L2	10 deg	Spot	88 %	19.900	-

Luminaire: LEDil Oy FCN12103_IRIS-SCREW_(XM-L2) Efficiency=88%
Lamps: 1 x Cree XM-L2 (XMLBWT-0-7B4-T30-0L-0001) 91lm @ 250mA CCT=3200K P=0.7W I=250mA



Luminaire: LEDil Oy FCN12103_IRIS-SCREW_(XM-L2) Efficiency=88%
Lamps: 1 x Cree XM-L2 (XMLBWT-0-7B4-T30-0L-0001) 91lm @ 250mA CCT=3200K P=0.7W I=250mA



NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.