Note: This datasheet may be out of date.

Please download the latest datasheet of BAC05S05DC from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=BAC05S05DC

# BAC05S05DC



Recommended

New

RoHS



### Appearance & Shape





5V 1A, Isolated 5W Regulated Single Output 4.25kVAC, AC-DC Converters, 85-264VAC/120-370VDC Input

1 of 2

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





## BAC05S05DC

Note: This datasheet may be out of date.

Please download the latest datasheet of BAC05S05DC from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=BAC05S05DC



### **Specifications**

Output power(W)Max	5W
Vin(VAC)	85Vac to 264Vac
Vin(VAC)typ	230Vac
Vin(VDC)	120Vdc to 370Vdc
Vout(V)	5V
Vout(V)typ	5V
LineRegulation(%)	-0.5% to 0.5%
LoadRegulation(%)	-1% to 1%
Isolation Voltage(V)	4250V
Efficiency(%)	75.5%
Size(mm)W	25.4mm
Size(mm)L	25.4mm
Size(mm)T	16.3mm
Operatingtemperature(degC)	-40°C to 85°C
Outputs(#)	1
lout(A)Max	1A
Package	DIP
Productseries	BAC05
Product Series Features	The BAC05 series delivers an output power of 5 watts from - 40°C to 55°C, operating up to 85°C with derating, from AC or DC input voltages. The BAC05 series small footprint is EMC class B compliant without the need of any external components. The BAC05 series is suited to medical applications with 1 MOPP and 2 MOOP.  With high efficiency at low loads and low no load power consumption, the BAC05 supports standby mode

Safety Approval	UL62368 EN62368
Brand	MPS

2 of 2



e eparation Mariapplication suin Therefore, it's specifications are subject to change or our products in it may be discontinued a feature that it is a part of the suing specifications. In some consult the approval sheet for product specifications before ordering. In some automation.