

Product Search

Your Search for "nlt4" returned 9 Match(es):



Speakon® Lockable Loudspeaker Connector



STX Series



NLT4FP
4 pole female chassis connector in metal housing.

[Specs](#)
[PDF](#)
[DXF](#)



NLT4FP-BAG
4 pole female chassis connector with black-chrome metal housing, chuck and bushing.

[Specs](#)
[PDF](#)
[DXF](#)



NLT4FX
4 pole female cable connector with in nickel housing, chuck and bushing.

[Specs](#)
[PDF](#)
[DXF](#)



NLT4FX-BAG
4 pole female cable connector with black-chrome metal housing, chuck and bushing.

[Specs](#)
[PDF](#)
[DXF](#)



NLT4MD-V
4 pole male chassis connector, metal housing, PCB version. Rear panel mount using self tapping 2.9 mm PT® screws (A-screw, E-screw or E-screw-Ni). Screws not included, please refer to XLR Accessories.

[Specs](#)
[PDF](#)
[DXF](#)



NLT4MP
4 pole male chassis connector, metal housing.

[Specs](#)
[PDF](#)
[DXF](#)



NLT4MP-BAG
4 pole male chassis connector with black-chrome metal housing.

[Specs](#)
[PDF](#)
[DXF](#)



NLT4MX
4 pole male cable connector with chuck and bushing, metal housing.

[Specs](#)
[PDF](#)
[DXF](#)



NLT4MX-BAG



4 pole male cable connector with black-chrome metal housing, chuck and bushing.

[Specs](#)[PDF](#)[DXF](#)


N...Standard Neutrik® product

N...Non standard Neutrik® product, only available from Neutrik® USA Inc.





Panel Cut Out



Allgemeintoleranzen ISO 2768-m	Werkstoff -	Massstab: 2:1 (A3)		Datum	Name
Zeichnung urheberrechtlich geschützt (DIN 34) (C)			Gezeichnet	19.12.01	Dobler
			Freigegeben	-	-
Benennung			Geaendert	15.03.03	Dobler
- NL T4FP			Aend.-Nr. 41-2003		Aend.-Index
			Ersatz fuer:		Blatt 1 von 1 Bl.
NEUTRIK AG FL-9494 SCHAAN			Zeichn. Nr. ST-NL T4FP		