

## Torque screwdriver - TSD-M 1,2NM - 1212224

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Torque screw driver, accuracy as per EN ISO 6789 standard, adjustable from 0.3 - 1.2 Nm

### Product Features

- ✓ High-precision, finely adjustable torque screwdrivers according to EN ISO 6789
- ✓ Torque screwdrivers with hexagonal fast connection holder
- ✓ TSD-M ... torque screwdrivers are adjustable from 0.3 - 6.0 Nm

### Key commercial data

Packing unit	1 PCE
GTIN	 4 046356 455589
Custom tariff number	82054000
Country of origin	CZECH REPUBLIC

### Technical data

#### Dimensions

Length (b)	150 mm
Height	36.5 mm
Width (a)	36.5 mm

#### General

Color	black
-------	-------

### Classifications

#### ETIM

ETIM 2.0	EC000158
ETIM 3.0	EC000158
ETIM 4.0	EC002132

## Torque screwdriver - TSD-M 1,2NM - 1212224

### Classifications

#### ETIM

ETIM 5.0	EC002132
----------	----------

#### UNSPSC

UNSPSC 11	27111701
UNSPSC 12.01	27111701
UNSPSC 13.2	27111701
UNSPSC 6.01	27111701
UNSPSC 7.0901	27111701

#### eCl@ss

eCl@ss 4.0	21040401
eCl@ss 4.1	21040401
eCl@ss 5.0	21040401
eCl@ss 5.1	21040401
eCl@ss 6.0	21040401
eCl@ss 7.0	21040409

### Approvals

#### Approvals


Approvals

GOST / GOST

Ex Approvals

Approvals submitted

#### Approval details

GOST 
--

## Torque screwdriver - TSD-M 1,2NM - 1212224

### Approvals



### Accessories

#### Accessories

#### Tools

Screw insert - BHN 5,5 - 1209965



Nut, hexagonal, 5.5 mm

Screw insert - BHN 8 - 1209978



Nut, hexagonal, 8 mm

Screw insert - BHN 10 - 1209981



Socket wrench insert, magnetic, hexagonal, 10 mm wrench size, 1/4" drive, suitable for holders according to DIN 3126-F 6,3/ISO 1173

Screw insert - BHN 13 - 1209994



Nut, hexagonal, 13 mm

## Torque screwdriver - TSD-M 1,2NM - 1212224

### Accessories

Adapter insert - TSD-M SAC-BIT ADAPTER - 1212600



Adapter bit for TSD-M...torque tools, E6.3-1/4" drive with 4 mm hexagon to accommodate SAC bits

---

Screw insert - BF 6,3 - 1209936



Adapter for 1/4" bit holder