


► General data

Modular terminal block with screw connection, cross section: 0.5 - 6 mm², AWG: 26 - 8, width: 7.5 mm, color: gray



**Zur Zeit ist kein
Produktfoto vorhanden**

Order number	1402018
Type	MBK 10

Barcode number	4017918020750
Unit pack	50 Pcs.
Customs tariff	85369010000

► Certificates

UL	
Nominal voltage U_N	600 V
Nominal current I_N	50 A
AWG/kcmil	26- 8

CSA	
Nominal voltage U_N	300 V
Nominal current I_N	55 A
AWG/kcmil	26- 8

► Drawings

Approval logo



► Accessories

Item	Designation	Description
Assembly		
1413227	ATP-MBK	Separating plate, width: 2.5 mm, color: gray
1401637	E/MBK	End bracket, width: 6.2 mm, color: gray
1401682	NS 15 GELOCHT METER	DIN rail 15 mm (NS 15)
1401695	NS 15 UNGELOCHT METER	DIN rail, material: Steel, unperforated, height 5.5 mm, width 15 mm, length: 2 m
Bridges		
0801157	EB 2- BK 4	Insertion bridge, 2-pos., for strip terminal block, BK 4
0801144	EB 3- BK 4	Insertion bridge, 3-pos., for strip terminal block, BK 4
0801131	EB 10- BK 4	Insertion bridge, 10-pos., for strip terminal block, BK 4
Marking		
1401417	BNB WH	Marker pin, plastic, unprinted: for individual labeling with M-PEN, printed: with 1, 2 or 3-figure characters, white

► Address

Phoenix Contact GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel + 49 - (0) 52 35 - 3-00
Fax + 49 - (0) 52 35 - 3-4 12 00
www.phoenixcontact.com

© Phoenix Contact
Technical modifications reserved