

VS-PPC-F1-RJ45-MNNA-1R-F

Order No.: 1405358

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1405358>

RJ45 panel mounting frame, IP67, for push-pull interlocking, metal, with the Freenet system, for square panel cutout, with grommet, without mounting screws

**Commercial data**

GTIN (EAN)	 4 046356 419949
sales group	D510
Pack	1 pcs.
Customs tariff	85389099
Catalog page information	Page 288 (PC-2011)

Product notes

WEEE/RoHS-compliant since:
06/16/2008



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**Mechanical characteristics**


Color	silver
Ambient temperature (operation)	-40 °C ... 70 °C

Material data


Inflammability class acc. to UL 94	V0
Housing material	Zinc die-cast
Housing surface material	Nickel-plated
Material	Metal
Degree of protection	IP65/IP67

Diagrams/Drawings


Explosion drawing



Dimensioned drawing



Push-Pull panel mounting frame, Freetnet system, IP67



Panel cutout

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;