

VS-PPC-F1-SCRJ-POBK-1RF

Order No.: 1608210

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1608210>

SCRJ panel mounting frame, IP67, for push-pull interlocking, plastic,
with the Freenet system, for square panel cutout, with grommet,
without mounting screws

**PROFI
NET****Commercial data**

GTIN (EAN)	 4 046356 159890
sales group	D520
Pack	1 pcs.
Customs tariff	85366990
Catalog page information	Page 331 (PC-2011)

Product notes

WEEE/RoHS-compliant since:
09/27/2006



[http://
www.download.phoenixcontact.com](http://www.download.phoenixcontact.com)
Please note that the data given
here has been taken from the
online catalog. For comprehensive
information and data, please refer
to the user documentation. The
General Terms and Conditions of
Use apply to Internet downloads.

Technical data**Mechanical characteristics**

Insertion/withdrawal cycles	≥ 500
Color	black
Ambient temperature (operation)	-20 °C ... 70 °C

Material data


Inflammability class acc. to UL 94	V0
Housing material	PA-GF
Sealing material	NBR
Seal material	NBR
Degree of protection	IP65/IP67

Electrical characteristics


Pollution degree	2
------------------	---

Diagrams/Drawings

Dimensioned drawing



Push-Pull SCRJ panel mounting frame



Panel cutout

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;