

VS-SCRJ-GOF-FA-IP20

Order No.: 1657070



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1657070>

SCRJ fiber optic connector, IP20, duplex, with fast connection technology, for glass fiber multi-mode 50/125 µm, for individual wire diameter 2.9 mm

Ethernet

Commercial data

GTIN (EAN)	 4 046356 100120
Note	Made-to-order
sales group	D522
Pack	1 pcs.
Customs tariff	85444290
Catalog page information	Page 336 (PC-2011)

Product notes

WEEE/RoHS-compliant since:
10/17/2005



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

Mechanical characteristics

Number of positions	2
Connection profile	SCRJ in acc. with IEC 61754-24
Fiber type	GOF fiber A1a, A1b
Fiber	50/125 µm and 62.5/125 µm

Ferrule diameter	2.50 mm
Insertion/withdrawal cycles	≥ 1000
Color	black
Ambient temperature (operation)	-20 °C ... 70 °C

Material data

Inflammability class acc. to UL 94	V0
Housing material	PBT
Ferrule material	Zirconia ceramics
Ferrule holder color	White
Degree of protection	IP20

Optical characteristics

Attenuation	≤ 0.5 dB (Insertion attenuation)
-------------	----------------------------------

Accessories

Item	Designation	Description
Tools		
1658228	VS-GOF-FA-KONFTOOL-EU	Assembly tool set for glass fiber, for the field assembly of SCRJ and SC-duplex connectors, with fast connection technology, with charger for 230 V
1658231	VS-GOF-FA-KONFTOOL-US	Assembly tool set for glass fiber, for the field assembly of SCRJ and SC-duplex connectors, with fast connection technology, with charger for 110 V

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;