

VC-AR4/5M

Order No.: 1853007

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1853007>

Panel mounting frame, without PE, for contact insert modules, type 4,
number of insert modules 5

Commercial data

GTIN (EAN)	4017918134297
sales group	D200
Pack	5 pcs.
Customs tariff	85389099
Weight/Piece	0.01365 KG
Catalog page information	Page 360 (PC-2009)

Product notes

WEEE/RoHS-compliant since:
12/15/2005



[http://
www.download.phoenixcontact.com](http://www.download.phoenixcontact.com)
Please note that the data given
here has been taken from the
online catalog. For comprehensive
information and data, please refer
to the user documentation. The
General Terms and Conditions of
Use apply to Internet downloads.

Technical data**General data**

Note	2 x 1852862 VC-AF for each connector
Ambient temperature (operation)	-40 °C ... 125 °C
Design	VC4

Inflammability class acc. to UL 94

V0

UL **US** **PGT**



Certification

CUL, GOST, UL

Item	Designation	Description
------	-------------	-------------

1852862	VC-AF	Panel mounting flange for screw locking, for mounting contact insert modules, for a panel thickness of 1 - 5 mm
---------	-------	---

Dimensioned drawing



a - PCB

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2010 Phoenix Contact
Technical modifications reserved;