

PSI-GSM/UMTS-ANT-OMNI-2-5

Order No.: 2900982

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2900982>

GSM/UMTS omnidirectional antenna, 2 dBi gain, 5 m antenna cable
with SMA circular connector

Commercial data

GTIN (EAN)	
sales group	H178
Pack	1 pcs.
Customs tariff	85177019
Catalog page information	Page 564 (IF-2011)

Product notes

WEEE/RoHS-compliant since:
03/16/2010



[http://
www.download.phoenixcontact.com](http://www.download.phoenixcontact.com)
Please note that the data given
here has been taken from the
online catalog. For comprehensive
information and data, please refer
to the user documentation. The
General Terms and Conditions of
Use apply to Internet downloads.

Technical data

General data

Frequency range	850/900/1800/1900/2100 MHz
	850 MHz ... 2100 MHz
Impedance	50 Ω
Gain	2 dBi
Connection method	SMA round connector

Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 80 °C
Ambient temperature (storage/transport)	-40 °C ... 80 °C
Height	347 mm
Diameter	20 mm

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2012 Phoenix Contact
Technical modifications reserved;