

C-BCI 1,5/4,6

Order No.: 3240568



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3240568>

Flat pin cable lug, red, 0.5 - 1.5 mm²,

Commercial data

GTIN (EAN)	 4 046356 563734
sales group	B281
Pack	100 pcs.
Customs tariff	85366990
Catalog page information	Page 319 (CL2-2011)

Product notes

WEEE/RoHS-compliant since:
01/13/2010



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data


General

Length (b)	28 mm
Width (a)	4.6 mm
Color	red
Ambient temperature (operation)	-20 °C ... 105 °C
Short-term temperature	120 °C

Components	Halogen-free
Material	Copper
Length contact range	17.5 mm
Length of insulation sleeve (c)	10.5 mm
Inner dimension of the insulating collar (d)	4 mm
Material thickness (g)	0.8 mm

Diagrams/Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2012 Phoenix Contact
Technical modifications reserved;