
This heavy-duty battery lead wire from Remington Industries is built to withstand the harsh conditions of marine/boating power-supplying applications; the tinned copper wire lends to a high corrosion resistance, and the PVC insulation protects the wire against abrasion, chemicals, oils, and solvents. However, its versatility makes it ideal in a variety of other uses, including for power inverters, amplifiers/stereos, and automotive (car/truck/RV) batteries, as well as any other electrical applications requiring these specifications. This lead wire is available in black or red color and in several cable lengths (see below) for your convenience.

- Conductor Material: Soft-Annealed, Tinned Copper
- Insulation Material: Black or Red PVC (0.060" Thick)
- Type: Tinned Battery Cable
- Temperature Rating: 105°C (221°F)
- Colors Available: Black or Red
- Cable Lengths Available: 12 in, 18 in, 24 in, 36 in, 48 in, 60 in, 72 in, 96 in, 120 in
- Specifications Met:
 - UL BC-5W2 (UL 1426)

- CSA TEW 600V
- UL AWM 1015/1232/1283/1346 600V
- CSA AWM I A/B 1000V
- UL AWM 1032/10269 1000V
- CSA FT-1

- UL VW-1

- SAE J1127 Type SGT
- This lead wire is also available as a pre-made cable assembly with lug terminations -- see our Marine Battery Cables for more info



PART	WIRE	OVERALL
NUMBER	GAUGE	DIAMETER
1283/04T133	4 AWG	0.367"

4 AWG Tinned Battery Cable Data Sheet

Remington Industries is proud to offer our Custom Wire Services

Our exclusive inventory of in-stock wire and ability to procure wire of all kinds makes us the perfect partner for wire purchasing and custom wire services. We are proud to provide essential, high quality wire for engineering projects, educational science projects, coil winding, and electronics applications.

Some of our many wire services include the following:

- Wire Re-Packaging
- Bifilar & Trifilar Windings
- Wire Processing
- Coil Winding
- Wire Procurement Services

If you have any questions or need any information about our Wire Services, feel free to contact us! It only takes one call to get experienced assistance.

Contact us by phone: (815) 385-1987

Contact us by email: sales@remingtonindustries.com

DATE | ISS. | REVISION | BY

Drawn by: AG 1/29/20 Drawing rev.: --



3521 N. Chapel Hill Rd Johnsburg, IL 60051 USA remingtonindustries.com