
Switchcraft®

Previous Page | Return to Index | Next Page



.141 MINIATURE PHONE PLUGS

- **1. Number 750**
- 2. Number 780

click here to download a schematic drawing

(you will need to have Adobe Acrobat installed on your system to do this)



FEATURES

- * Miniature 2-conductor Phone Plug for use with Switchcraft Tini-Jax® miniature phone jacks. About 1/2 the size of Switchcraft Littel-Plug® phone plug. Average net weight, 1/8 ounce.
- * Various terminal combinations:
- (a) Dual purpose sleeve terminal may be clamped over metal braid or shielded cables; provides cable anchor.

Easily soldered for perfect electrical connection.

- (b) Screw terminal design (no cable clamp) for cable. Terminals that can be more suitably connected by screws.
- * 1-piece tip rod staked into mating terminals; no disassembly of tip during use of plug. Terminals and body of plug interlocked mechanically.
- * Available in black or red plastic handles or brass nickelplated handles for shielding. Can be used with cables up to .188 inch outside diameter.

SPECIFICATIONS

Sleeve, Tip and Body: Nickel-plated copper alloy.

Terminals: Copper alloy, electro-tinned. Solder lug or screw type (Screws #0-80).

Handle: Molded black or red plastic. Copper alloy,

nickel-plated.

Part No.	Terminals	Typical Mating Jack ¹	Handle	Part No.
740	Screw ²	41	Black	M1055
745			Red	M1056
750	Solder Lug & Cable Clamp		Black	M1055
755			Red	M1056
2P1384			Less Handle	
770	Screw ²		Shielded	T13631
780	Solder Lug & Cable Clamp		Shielded	T13631

¹ Other mating plugs are available.

<u>Previous Page</u> | <u>Return to Index</u> | <u>Next Page</u>

To search a category please click on the corresponding icon:

² Switchcraft replacement Part Number P1153. 2 screws required per plug.



| Connectors | Jacks and Plugs | | Patch Panels, Patch Kits & Jackfields | Cable Assemblies and Patch Cords | Switches |

All products shown are covered by Switchcraft's limited lifetime warranty.

| Switchcraft home |
About Us | Products | What's New | Search | Contact Us