

Corex Coax Stripper

For Cables with a Jacket diameter of 2.54 to 7.62 mm

Features:

Complete cable strip
Easy cutter adjustment
Simple rotary cutting motion
Colour coded cassettes
Pre-set strip lengths

Image representative of type only



Part Number	Description	mm² (AWG) or other
603995-2	2 step cable stripper for Comercial BNC connectors and RG 58 / 59 / 62 cable. 6.8 mm outer jacket strip length. Spare Cassete Blue, PN 603996-2	RG 58 / 59 / 62 Cable Ø5.0-6.5mm
947489-1	3 step cable stripper for Commercial BNC connectors. 7.5 mm outer jacket & 3.5 mm dielectric strip lengths. Spare Cassete Brown PN 947490-1	RG 58 / 59 / 62 Cable Ø5.0-6.5mm
603995-5	3 step cable stripper for Dual Crimp BNC connectors. 5.5 mm outer jacket & 5.5 mm dielectric strip lengths Spare Cassete Black PN 603996-4	
603995-6	3 step cable stripper for Dual Crimp Commercial BNC connectors and RG; 174, 179, 188 & 316 cable. 6.8 mm outer jacket & 2.5 mm dielectric strip lengths. Spare Cassete White PN 603996-5	RG; 174, 179, 188 & 316 Cable Ø2.5-3.0mm
603995-1	2 step cable stripper for Single crimp BNC connectors and RG 195 / 180 cable. 6 mm outer jacket strip length. Spare Cassete Red, PN 603996-1	RG 195 / 180 Cable Ø3.0-5.0mm
603995-3	2 step cable stripper for UHF connectors and RG 6 & Beldon 8281. 12 mm outer jacket strip length. Spare Cassete Yellow, PN 603996-3	RG 6 & Beldon 8281 Cable Ø6.4-7.0mm

Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.

Coax Cable Stripper

1490490-1

Features:

3 Blades designed to strip RG 6, 58 and 59 cable in one step
Replaceable Blade Cartridges

Image representative of type only



Oden - Cable Stripper

2-1579002-4 - Stripping Tool

7-1579005-4 - Spare Blade

Image representative of type only

Features:

Outer Sheath Stripper suitable for most discrete, multicore and fibre optic cables

Fine adjustment is possible by a 10 position adjustment wheel

Replaceable Blade

Automatically adjusts to different cable diameters

Works on cable diameters up to 11mm

Ideal for Cat 5 & 6 cable



Cyclops - Cable Stripper

1375317-1

Features:

Outer Sheath Stripper

Automatically adjusts to different cable diameters

Works on cable diameters up to 11mm

Image representative of type only



Tor - Rotary Cable Stripper

2-1579002-5 - Stripping Tool

Nato Stk No. 5110-99-5301839

Image representative of type only

7-1579005-5 - Spare Blade

Features:

Works on cables from 4.5 to 40 mm diameter

Circular + Straight Strip

Circular + Spiral Strip

Also window stripping possible

Replaceable blade

Lanyard fixing

Spare blade in handle cavity



Rotary Cable Stripper

606700-1

Features:

Works on cables up to 25 mm diameter
Circular + Straight Strip
Supplied with spare blade

Image representative of type only

Embla - Automatic Wire Stripper

For various insulation types

Features:

Easily replaceable blade cassette
V blade cassettes for difficult cable types
Adjustable stripping length
Ergonomic non-slip handles
Built-in cutter, also with replaceable blades

Image representative of type only

Part Number	Description	mm ² (AWG) or other
2-1579002-3	most insulation types and includes: form blade Cassette 4 - 16 mm ² Spare Blade 7-1579005-3	4.0 - 16.0 (12-6)
2-1579002-2	PTFE, THHN & TTHW and includes: V blade Cassette 0.02 - 4 mm ² Spare Blade 7-1579005-2	0.2 - 4.0 (24-12)
2-1579002-1	Standard PVC and includes: parallel blade Cassette 0.02 - 10 mm ² Nato Stk No. 5110-99-7009177 Spare Blade 7-1579005-1	0.02 - 10.0 (34-8)

Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.

Automatic Wire Stripper

734185-1

Features:

Works on PVC, THHN and THHW cable 0.08 - 6.0 (28-10)
Adjustable stripping length
Ergonomic non-slip handles
Built-in cutter

Image representative of type only

Die-cast Automatic Wire Stripper

Features:

- Adjustable strip length
- Automatic cut-depth
- Non-slip handles

Image representative of type only



Part Number	Description	mm² (AWG) or other
1-1579002-2	for PVC, THHN and THHW cable (includes blades) Spare Blade set 3-1579005-7	0.08 - 6.0 (28-10)
4-1579002-2	for SOLARLOK Cable (includes blades) Spare Blade set 1579006-7	1.5 - 6.0 (16-10)

Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.

Small Wire Cutters

- 1116571-1
- Used primarily when lacing / installing the tool-less Mod Jack

Image representative of type only

Features:

- Cuts wire flush
- Spring loaded handles



KT 80 Cutting Tool

- 654061-1 - Ideal for cutting Ribbon Cable

Features:

- Up to 64 conductors of 0.5mm² by 81.5mm wide
- Clean undistorted cut
- Built-in Guide ensures square cut

- Replaceable:
- Blade 658654-1
- Anvil 658563-1

Image representative of type only



Cable Tie Gun

734587-1 - for Cable Ties 2.2 - 4.8 mm and thickness up to 1.6 mm

Features:

Automatic cut-off

Adjustable tension setting

Image representative of type only



Non-impact Punch-down Tool

Tools without impact assist

Features:

Rubber palm grip

Blade Storage area in the side of the Tool

Accepts all Twist & Lock Blades

Image representative of type only



Part Number	Description	mm ² (AWG) or other
1583236-1	Tool with 110 Blade	0.08 - 0.34 (28-24)

Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.

Impact Punch-down Tool

Tools with impact assist

Features:

Rubber palm grip

Spare blade storage

Adjustable Hi / Low impact setting

Accepts all standard twist & Lock blades

Image representative of type only



Part Number	Description	mm ² (AWG) or other
1583608-1	Tool with 110 Blade	0.08 - 0.34 (28-24)

Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.

Premium Impact Punch-down Tool

Tools with impact assist

Features:

Integral spot light
Non-slip cushioned grip
Pick hook and spudger
Spare blade storage
Adjustable impact force
Accepts all standard twist & Lock blades

Image representative of type only



Part Number	Description	mm² (AWG) or other
1375308-1	Tool with 110 Blade	0.08 - 0.34 (28-24)
1375309-1	Spare 110 Blade	
1375308-4	Tool with 066 / 110 Blade	0.08 - 0.34 (28-24)
1375310-1	Spare 066 / 110 Blade	

Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.

Professional Hand Tool

2-231652-0 - Base Tool without Die-set

Features:

Interchangeable Dies for all but 10 posn. plugs
Terminates both strain reliefs and inserts contacts in one motion
Ratchet mechanism ensures complete crimp cycle
Cuts, strips and terminates
Compatible with many other leading brand products
AMP plugs are UL approved when terminated using this tool

Image representative of type only



Part Number	Description	mm² (AWG) or other
2-231652-8	Complete tool for MODULAR PLUG connectors	4 & 6 Posn Line
853400-8	Die-set for MODULAR PLUG connectors Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	4 & 6 Posn Line
2-231652-3	Complete tool for MODULAR PLUG connectors	4 Posn Hand-set
853400-3	Die-set for MODULAR PLUG connectors Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	4 Posn Hand-set
2-231652-6	Complete tool for MODULAR PLUG connectors	6 Position off-set Flat, Oval & Round - Solid & Stranded
2-231652-7	Complete tool for MODULAR PLUG connectors	6 posn Long Body Flat, Oval & Round - Solid & Stranded
853400-7	Die-set for MODULAR PLUG connectors - Flat oval & Round - Solid or Stranded Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	6 Posn Long Body Flat, Oval & Round - Solid or Stranded
853400-6	Die-set for MODULAR PLUG connectors - Flat oval & Round - Solid or Stranded Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	6 Posn off-set Flat, Oval & Round - Solid or Stranded
3-231652-0	Complete tool for MODULAR PLUG connectors	8 Posn High Performance CAT 5 Cable
1-853400-0	Die-set for MODULAR PLUG connectors - CAT 5 cable Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	8 Posn High Performance CAT 5 cable
2-231652-1	Complete tool for MODULAR PLUG connectors	8 Posn Long Body
853400-1	Die-set for MODULAR PLUG connectors Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	8 Posn Long Body

Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.

Mod Jack Tool

Tool & Lacing Fixture combinations for rear entry cable Jacks.

Image representative of type only

Features:

Built-in cable stripper
Terminates and cuts all conductors in one go
Very small breakouts can be achieved
Comes in a convenient Draw-string Pouch

Can be used on CAT 3 , 5 & 6 cable with:
Rear cable entry 110 SL Series Jacks
Rear cable entry AMP TWIST 6S SL Jacks



Part Number	Description	mm ² (AWG) or other
1673956-1	Lacing Fixture for rear cable entry 110 SL series Jacks. Use in Base Tool & Pouch	0.2 (24) stranded 0.2-0.4 (24-22) solid
1725150-1	Base tool, Pouch & Lacing Fixture 1673956-1 for rear cable entry 110 SL series Jacks	0.2 (24) stranded 0.2-0.4 (24-22) solid
1725150-3	Base tool & Pouch for rear cable entry AMP TWIST 6S SL series Jacks. NO Lacing Fixture required	0.2 (24) stranded 0.2-0.4 (24-22) solid

Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.

Crimping Kit for Modular Plugs

Image representative of type only

Features:

2-231652-0 Professional hand Tool
231662-1 Blade Replacement Kit
Screw Driver
Robust plastic Carry Case
Dies for specified Plug types



Part Number	Description	mm ² (AWG) or other
1-231666-0	Standard Kit for Shielded & Non-shielded Plugs	4, 6 & 8 Posn. Line
1-231666-3	Professional Kit for Shielded & Non-shielded Plugs	4, 6 & 8 Posn. Line 6 Posn. Long Body 4 Posn. Telephone Plug
1-231666-1	Standard Kit for Shielded & Non-shielded Plugs	4-6, 8 Posn. 4 Posn. Handset

Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.

Tone Generator

1490531-1

1673606-1 - includes 1490531-1 plus Tone Tracer 1490533-1 in handy Two Pocket Pouch

Image representative of type only

Features:

Three built-in tones

Auto off

Separate talk battery for increased voltage and power for test sets

Modular Jack allows multiple cord sets to be used for different applications



Tone Tracer

1490533-1

1673606-1 - includes 1490533-1 plus Tone Generator 1490531-1 in handy Two Pocket Pouch

Image representative of type only

Features:

Detection without direct cable or wire contact

Ergonomically shaped

Can be used with any Tone Generator

Replacement quick change tips available



4-Pair Tester

1490530-1

Image representative of type only

Features:

Tests for opens, shorts, mis-wires, reversals and split pairs

Auto on/off

Battery low indicator



SUPER CHAMP II

Tools for service & repair

Features:

Made from high quality special steel for long life
Fitted with plastic comfort handles

Image representative of type only



Part Number	Description	mm² (AWG) or other
169111-1	Open Barrel Terminals 'F' crimp Crimp widths; 2.2, 2.4, 2.8, 3.2, 3.8 & 4.8mm Wire strippers for 0.5-0.75, 1.0, 1.5, 2.5, 4 & 6mm	0.4 - 6.0 (22-10)
169060-8	PIDG, PLASTI-GRIP - All Types Bolt cutters for 3, 3.5, 4 & 5mm bolts Wire strippers for 0.5-0.75, 1.0, 1.5, 2.5, 4 & 6mm	0.26 - 6.6 (24-10)

Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.

SUPER CHAMP FT

720781-3 - for service & repair with Bulkhead Series and PIDG & PLASTIGRIP
Terminals

Image representative of type only

Features:

Made from high quality special steel for long life
Fitted with plastic comfort handles

Bulkhead Series Terminals

- 0.3 mm²
- 0.5 - 0.85 mm²
- 1.25 - 2.0 mm²

PIDG & PLASTIGRIP
RBY 0.5 - 6mm² (22-10)
General wire strippers



CRIMPAC CG

734372-1 - Base Tool without dies

Image representative of type only

Features:

Toggle lever handle force adjuster with quick release

Cable cutting device 0.5 - 6 mm² (21-10)

Wire stripping device 0.5 - 6 mm² (21-10)



Part Number	Description	mm ² (AWG) or other
825582-2	Complete tool for CI-2; MATE-N-LOK 3.5; Standard TIMER AMLIVERSAL Logo	0.5 - 5.3 (22-10)
825582	Complete tool for CI-2; MATE-N-LOK 3.5; Standard TIMER	0.5 - 5.3 (22-10)
825508-5	Complete tool for PIDG & PLASTI-GRIP Terminals	0.5 - 6.0 (22-10)
734481-1	Die-set for PIDG, PLASTI-GRIP - All Types Use in Hand Tool Frame 734372-1	0.6 - 6.0 (22-10)

Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.

Die-set - SDE for Fibre Optic Connectors

SDE Dies allow Hand or Powered options

Features:

Use in:

SDE PRO-CRIMPER III Hand Tool 354940-1

SDE PEW 12 Hand Tool 9-1478240-0

SDE DA Hand Tool 1213745-1

SDE BATTERY TOOL (Kit) 1725837-2 for shoulder dies

SDE 626 Head 679304-1 + accessories

SDE Electric Terminator 1490076-2

SDE Bench Press Adapter 1579000-8 + Press 1481004-7

Image representative of type only



Part Number	Description	mm ² (AWG) or other
91900-1	HTS Fibre Optic contact HD-LWL series	

Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.

Dual Purpose Butterfly Tool

Mass termination tool for AMP CHAMP products

Features:

Mass terminates and shears all wires in a single action

Can be fixed by screws to a bench

Supplied in a carrying case

Image representative of type only



Part Number	Description	mm ² (AWG) or other
229378-1	Standard tool for AMP CHAMP	14, 24, 36 & 50 Posn
231880-1	Standard tool for AMP CHAMP	64 Posn

Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.