



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	1	INITIAL CONCEPT	08APR2016	VL	
	2	ADD HOLE IN CORNER	01SEP2016	VL	SS
	A	DRAWING RELEASED	21APR2017	VL	SS
	A1	REVISED PER ECO-17-007644	26MAY2017	VL	SS



SCALE 2:1


NOTES:

- 1 MATERIAL: 0.20mm CRS. 1,25 - 3.00µm MATTE TIN FINISH.
- 2 STAMPING BURR OUTSIDE OF PART, MAX 0.05mm.
- 3 PARTS TO BE FREE OF OIL AND CONTAMINENTS.
- 4 PART IS RoHS COMPLIANT PER TE CONNECTIVITY STANDARD TEC-138-702.
- 5 REFER TO 3D MODEL FOR UNSPECIFIED DIMENSIONS.
- 6 PACKAGING: TAPE AND REEL


6	2118720-2
PACKAGING	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN V. LAC	08APR2016	 TE Connectivity	
		CHK S. SU	21APR2017		
		APVD V. LAC	21APR2017		
		PRODUCT SPEC	108-19493		
		APPLICATION SPEC	-	NAME STANDARD SHIELD FRAME	
		WEIGHT	-	SIZE A3	CAGE CODE -
		CUSTOMER DRAWING	SCALE 3:1	DRAWING NO C-2118720	RESTRICTED TO -
			SHEET 1 OF 3	REV A1	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



NOTES:
7. STENCIL THICKNESS: 0.10mm MIN.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN V. LAC	08APR2016	 TE Connectivity							
DIMENSIONS: mm		CHK S. SU	21APR2017	NAME STANDARD SHIELD FRAME							
		APVD V. LAC	21APR2017								
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC							
		0 PLC ±0.20		108-19493							
		1 PLC ±0.15		APPLICATION SPEC							
		2 PLC ±0.10		-							
3 PLC ±-		4 PLC ±-		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO				
MATERIAL		FINISH		A3	-	C-2118720	-				
-		-		CUSTOMER DRAWING				SCALE	SHEET	OF	REV
								3:1	2	3	A1

