

Distributed by:

JAMECO[®]
ELECTRONICS

www.Jameco.com ♦ 1-800-831-4242

The content and copyrights of the attached
material are the property of its owner.

Jameco Part Number 745379


LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		F		REVISED PER EC 0512-0554-04	22 APR 05	AWF	AWF

D


C

B

A




SEE SHEET 2 FOR HOLE PATTERN



DETAIL A

- 1 HOUSING: HIGH TEMPERATURE THERMOPLASTIC. COLOR - NATURAL
- 2 CONTACT: PHOSPHOR BRONZE.
- 3 CONTACT FINISH: .001269[.000050] MIN NICKEL ALL OVER. GOLD FLASH OVER NICKEL IN CONTACT AREA. .002537[.000100] MIN TIN-LEAD OVER NICKEL ON SOLDER TAILS.
- 4 CONTACT FINISH: .001269[.000050] MIN NICKEL ALL OVER. .000375[.000015] MIN GOLD OVER NICKEL IN CONTACT AREA. .002537[.000100] MIN TIN-LEAD OVER NICKEL ON SOLDER TAILS.
- 5 CONTACT FINISH: .001269[.000050] MIN NICKEL ALL OVER. .000757[.000030] MIN GOLD OVER NICKEL IN CONTACT AREA. .002537[.000100] MIN TIN-LEAD OVER NICKEL ON SOLDER TAILS.
- 6 DISTANCE FROM CONTACT POINT TO BOTTOM OF CARD SLOT.
- 7 AMP PART NUMBER, DATE CODE AND CSA LOGO MARKED IN APPROXIMATE LOCATION SHOWN.
- 8 CORED OR SOLID SIDE WALLS ARE AT DISCRETION OF AMP INCORPORATED.




SECTION L-L
SCALE 8:1

SUPERSEDED BY 145154-4
OBSOLETE


3.56 [.140]	1	145154-2
3.18 [.125]	2	145154-8
2.54 [.100]	3	145154-4
2.54 [.100]	4	145154-3
2.54 [.100]	5	145154-2
2.54 [.100]	6	145154-1
W	FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R BROWN 6/9/95	Tyco Electronics Corporation Harriaburg, Pa 17105-3608	
DIMENSIONS: mm		CHK M BOWERS 6/9/95	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± 0.25 [.01] 3 PLC ± 0.127 [.005] 4 PLC ± - ANGLES ± -		PRODUCT SPEC 108-14034	CONTRACTOR ASSEMBLY, 60 DUAL POSITION, 1.27 [.050] SERIES,	
MATERIAL		APPLICATION SPEC 114-26012	SIZE A1	RESTRICTED TO
FINISH		WEIGHT -	CAGE CODE 00779	DATE 145154
CUSTOMER DRAWING		SCALE 4:1 SHEET 1 OF 2 REV F		

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	OWN
GP	00	—	—	SEE SHEET 1	—	—



RECOMMENDED MATING BOARD EDGE CONFIGURATION



RECOMMENDED CONNECTOR MOUNTING HOLE PATTERN
(CONNECTOR SIDE SHOWN)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R BROWN	6/9/95	tyco <i>Electronics</i>	Tyco Electronics Corporation Harriaburg, Pa 17105-3608	
		CHK M BOWERS	6/9/95			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME		
	0 PLC	± -	PRODUCT SPEC	CONNECTOR ASSEMBLY, 60 DUAL POSITION, 1.27 [.050] SERIES,		
	1 PLC	± -	108-14034			
	2 PLC	± 0.25 [.01]	APPLICATION SPEC			
	3 PLC	± 0.127 [.005]	114-26012			
	4 PLC	± -	WEIGHT			
MATERIAL SEE SHEET 1		FINISH SEE SHEET 1		RESTRICTED TO		
				A1 00779 C=145154		
				SCALE 4:1 SHEET 2 of 2 REV F		
				CUSTOMER DRAWING		