

23M (75-ft.) Duplex Multimode 62.5/125 Fiber Patch Cable (ST/ST)

MODEL NUMBER: N302-23M



Highlights

- Premium PVC 62.5/125μm multimode patch cables
- Attenuation loss meets or exceeds the latest industry standards

System Requirements

 Any fiber optic hardware or NIC card requiring multimode duplex cable with ST/ST connectors.

Package Includes

 23 meter (75ft) Duplex MMF Cable ST/ST 62.5/125 Fiber

Description

Tripp Lite's 23 meter (75ft) multimode duplex fiber optic ST/ST patch cable is manufactured from 62.5/125 zipcord fiber. The cable has ST connectors on each end, a PVC jacket and is FDDI and OFNR rated. Duplex multimode fiber is most commonly used in LAN applications.

Features

- Manufactured from 62.5/125 duplex (zipcord) fiber
- PVC jacket
- Length: 23 meter (75ft) connectors: 2 ST connectors on each end
- Insertion loss testing performed on every connector (0.2db typical) and provided with cable
- Beveled edge on ends of glass makes insertion of plug a breeze
- Fiber made from glass (not a polymer)
- Color coded shrouds identify transmit and receive
- Fiber optic distributed data interface (FDDI) rated
- OFNR (riser rated)

Specifications

OVERVIEW		
Fiber Type	62.5/125 - OM1	
Intended Application	Computer Networking (Fiber)	
Cable Type	MULTIMODE 62.5/125 FIBER OPTIC	
Network Speed	1Gbps	





INPUT			
Cable Length (m)	23		
UPC ASSIGNMENT			
Unit Carton UPC#	037332135261		
PHYSICAL			
Color	Orange		
Style	Fiber Optic		
CONNECTIONS			
Connector A	ST		
Connector B	ST		
Number of Connectors	4		
WARRANTY			
Product Warranty Period (Worldwide)	Lifetime limited warranty		

Related Items

Optional Products

Model Number	Description	Qty.
N302-006	2M (6-ft.) Duplex MMF 62.5/125 Patch Cable (ST/ST)	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at: http://www.tripplite.com/sku/N302-23M.

© 2014 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.