

## 4-outlet Vertical Power Strip with 6-ft. Cord

MODEL NUMBER: **PS240406**



### Description

The PS240406 provides a 15-amp, 120v power strip with 4 standard NEMA 5-15R outlets in a rugged, all-metal, mountable housing. It allows for both vertical and horizontal mounting, making it ideal for a variety of uses including office, rackmount, workbench, industrial and telecom applications. With a NEMA 5-15P, 6-ft. power cord, you don't have to install the PS240406 next to outlets you already have; it can be mounted across the room and deliver reliable service where you need it most. A lighted and covered On/Off switch helps prevent accidental shut-offs, while a 15-amp circuit breaker guards against dangerous circuit overloads. Its sturdy all-metal extruded aluminum housing stands up to demanding network, laboratory or factory environments.

### Features

**Multi-Outlet Power Distribution:** Featuring 4 outlets compatible with all standard electrical equipment, the PS240406 is an ideal solution for applications or locations that require power to many devices simultaneously. The 24-in. housing spaces the outlets 5.67 inches apart from center to center, allowing enough room for most AC adapters and transformers.

**Vertical or Horizontal Mounting:** With vertical or horizontal installation, a rugged housing and plenty of outlets, Tripp Lite's PS240406 is ideal for point-of-sale and retail display applications as it provides reliable, consistent power service for multiple devices. Tripp Lite's power outlet strips can also be used in home office, workbench and rack enclosure applications. The included mounting hardware allows the PS240406 to be installed wherever reliable, multi-outlet power distribution is required.

**Premium Safety Features:** The lighted On/Off switch features a translucent cover that eliminates accidental shut-offs while still allowing you to see whether the PS240406 is operational with a glance. A built-in, 15-amp circuit breaker prevents dangerous circuit overloads that could damage equipment. The breaker immediately shuts off AC input to the PS240406 when it detects that the equipment load is drawing too much power.

**Heavy-Duty Housing:** The PS240406's rugged, all-metal housing is durably constructed making it a great solution for industrial, retail display and workbench applications.

### Highlights

- Ideal for applications needing multiple convenience outlets for powering a variety of electronic equipment
- 24-in. mountable housing with 4 standard NEMA 5-15R outlets and a 6-ft. power cord
- Lighted, covered On/Off switch and 15-amp circuit breaker
- Sturdy construction and heavy-duty, all-metal housing

### Applications

- Offers vertical or horizontal multi-outlet power distribution in rack enclosures, raceways, desktops and more.

### Package Includes

- PS240406
- Mounting hardware
- Instruction manual

## Specifications



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
[www.tripplite.com](http://www.tripplite.com)

| SELECTOR                           |                                                              |
|------------------------------------|--------------------------------------------------------------|
| Selector Type                      | POWER STRIPS                                                 |
| General Info                       |                                                              |
| Product Group                      | POWER STRIPS                                                 |
| TAA Compliant                      | No                                                           |
| OVERVIEW                           |                                                              |
| Intended Application               | Home/Office                                                  |
| Style                              | Bench/Cabinet Mount                                          |
| Power Strip Type                   | Bench/Cabinet                                                |
| OUTPUT                             |                                                              |
| Frequency Compatibility            | 50 / 60 Hz                                                   |
| Output (Watts)                     | 1800                                                         |
| Circuit Breaker (amps)             | 15                                                           |
| Outlet Quantity / Type             | 4 NEMA 5-15R                                                 |
| Number of Outlets                  | 4                                                            |
| Outlet Spacing                     | 5.67 in.                                                     |
| INPUT                              |                                                              |
| Nominal Input Voltage(s) Supported | 120V AC                                                      |
| Recommended Electrical Service     | 15A 120V                                                     |
| Input Connection Type              | Nema 5-15P                                                   |
| Input Plug Features                | Black                                                        |
| Input Cord Length (ft.)            | 6                                                            |
| Input Cord Length (m)              | 1.83                                                         |
| Input Cord Gauge Type              | 14/3 SJT                                                     |
| Voltage Compatibility (VAC)        | 120                                                          |
| LEDS ALARMS & SWITCHES             |                                                              |
| Switches                           | Lighted 2 position switch controls power to all outlets      |
| Locking Switch Cover               | Transparent on/off switch cover prevents accidental turn-off |
| PHYSICAL                           |                                                              |
| Unit Dimensions (hwd / in.)        | 24 x 1.5 x 1.5                                               |



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
[www.tripplite.com](http://www.tripplite.com)

|                                        |                                                                                                           |
|----------------------------------------|-----------------------------------------------------------------------------------------------------------|
| Unit Dimensions (hwd / cm)             | 61 x 3.8 x 3.8                                                                                            |
| Unit Weight (lbs.)                     | 1.65                                                                                                      |
| Unit Weight (kg)                       | .75                                                                                                       |
| Material of Construction               | Aluminum                                                                                                  |
| Included Mounting Accessories          | Includes mounting clips                                                                                   |
| Receptacle Color                       | Black                                                                                                     |
| Color (AC Line Cord)                   | Black                                                                                                     |
| Form Factors Supported                 | Supports vertical or horizontal mounting in rack enclosures, raceways and a variety of other applications |
| Outlets Measurement (Center to Center) | 5.67 in.                                                                                                  |
| <b>SPECIAL FEATURES</b>                |                                                                                                           |
| US & Canada Only Flag                  | 0                                                                                                         |
| Console Server Demo Flag               | 0                                                                                                         |
| KVM Demo Flag                          | 0                                                                                                         |
| <b>CERTIFICATIONS</b>                  |                                                                                                           |
| UL1363 (Power Tap)                     | UL1363                                                                                                    |
| cUL / CSA (Canada)                     | cUL                                                                                                       |
| <b>WARRANTY</b>                        |                                                                                                           |
| Product Warranty Period (Worldwide)    | Lifetime limited warranty                                                                                 |

© 2015 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.