




Connectors > Connector Accessories > Connector Seals & Cavity Plugs > DEUTSCH Sealing Plugs



Connector Seal & Plug Type: **Sealing Plug**
Operating Temperature Range: **-55 – 125 °C [-67 – 257 °F]**
Primary Product Color: **Red**
Primary Product Material: **PBT GF30**
Operating Temperature (Max): **125 °C [257 °F]**

[All DEUTSCH Sealing Plugs \(10\)](#)

Features

Product Type Features

Connector Seal & Plug Type	Sealing Plug
----------------------------	--------------

Body Features

Primary Product Color	Red
Primary Product Material	PBT GF30

Usage Conditions

Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operating Temperature (Max)	125 °C[257 °F]

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Box
Packaging Quantity	1



Other

Contains Lubricant	No
--------------------	----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability







Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts

TE Part # DRC26-40SD-L011 PLG, 40P, BLK, N, ROUTER CAP, D	TE Part # DRC26-60S08 PLG, 60P, BLK, N, 08	TE Part # DRC26-24SD PLG, 24P, BLK, N, D	TE Part # DRC26-60S03 PLG, 60P, BLK, N, 03
--	---	---	---



 TE Part # DRC26-50S02-C027 PLG, 50P, BLK, N, SPECIAL GROMMET, 02	 TE Part # DTM04-08PD-E018 REC, 8P, BRN, N, HIGH TEMP, D	 TE Part # DRCP26-126SA PLG, 126P, BLK, 12/20, A	 TE Part # DRCP28-86SC PLG, 86P, BLK, 12/20, C
 TE Part # DTMH06-3SA-E003 PLG, 3P, BLK, N, HI TEMP, CAP, A	 TE Part # DTM04-12PA-EE04 REC, 12P, BLK, N, HIGH TEMP, A	 TE Part # CAT-H396-CH8172 DEUTSCH HDP20 Housings	 TE Part # CAT-D781-CH8172 DEUTSCH DRB Housings
 TE Part # DRC26-40SD PLG, 40P, BLK, D	 TE Part # DRC26-50S10 PLG, 50P, BLK, N, 10	 TE Part # CAT-H3930-CH8172 DEUTSCH HD30 Housings	 TE Part # CAT-J41-DDSCC DEUTSCH DT Connectors with snap cap
 TE Part # CAT-ST858-CH8172 DEUTSCH Strike Housings	 TE Part # DTMH04-4PC REC, 4P, BLK, N, HI TEMP, C	 TE Part # DTM04-12PD-E005 REC, 12P, BLK, N, CAP, D	 TE Part # DRC26-40SB-PL01 PLG, 40P, BLK, N, ROUTER CAP, SS CLIP, B

Also in the Series | **DEUTSCH HD**

 Automotive Housings(453)	 Automotive Seals & Cavity Plugs(11)	 Connector Strain Relief(6)	 Other Automotive Connector Accessories(12)
---	---	---	---

Also in the Series | **DEUTSCH HD30**




Automotive Housings(453)



Automotive Seals & Cavity Plugs(11)



Connector Strain Relief(6)



Other Automotive Connector Accessories(12)

Customers Also Bought




TE Part #CAT-D485-CH8172
DEUTSCH DTM Housings



TE Part #CAT-D485-W416
DEUTSCH DTM Wedgelocks



TE Part #CAT-D48-ST273
DEUTSCH Solid Contacts



TE Part #2316660-2
76P CONNECTOR ASSEMBLY

Documents

Product Drawings

SEALING PLUG, SIZE 20, RED

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_0413-204-2005_99_c-0413-204-2005-99.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_0413-204-2005_99_c-0413-204-2005-99.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_0413-204-2005_99_c-0413-204-2005-99.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

DEUTSCH HD30 & HDP20 CONNECTOR SERIES

English

ICT Terminals and Connectors Catalogue

English

CONNECTOR SELECTOR

English



Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English