



Automotive Parts > Automotive Connectors > Automotive Housings > AMP SUPERSEAL 1.5MM, CONNECTOR HOUSING



Connector & Housing Type: **Housing for Male Terminals**
Number of Positions: **3**
Sealable: **Yes**
Operating Temperature Range: **-40 – 125 °C [-40 – 257 °F]**
Number of Rows: **1**

[All AMP SUPERSEAL 1.5MM, CONNECTOR HOUSING \(19\)](#)

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector & Housing Type	Housing for Male Terminals
Sealable	Yes
Primary Locking Feature	On the Terminal
Connector System	Wire-to-Wire
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	3
Number of Rows	1

Electrical Characteristics

Operating Voltage	24 VDC
-------------------	--------



Nominal Voltage Architecture	24 V
Body Features	
Cable Exit Angle	180°
Primary Product Color	Black
Connector & Keying Code	Neutral
Contact Features	
Contact Size	1.5mm
Contact Type	Tab
Contact Current Rating (Max)	14 A
Mechanical Attachment	
Strain Relief	Without
Terminal Position Assurance	Yes
Mating Alignment Type	Polarizing Rib
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PA GF
Centerline (Pitch)	6 mm[.236 in]
Dimensions	
Product Width	13.8 mm[.543 in]
Product Length	25.8 mm[1.016 in]
Connector Height	42 mm[1.654 in]
Usage Conditions	
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]
Operating Temperature (Max)	125 °C[158 °F][167 °F][176 °F][185 °F][194 °F] [212 °F][221 °F][230 °F][248 °F][257 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
IP Rating	IP67
Packaging Features	
Packaging Quantity	1200



Packaging Method	Box
Other	
Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # CAT-AM71-T273
AMP SUPERSEAL 1.5MM,
RECEPTACLE AND TAB



TE Part # 2452133-1
EXTRACTION TOOL



TE Part # 785061-2
INSERT TOOL SEC-LOC TB 3,4,5,6P




TE Part # 281934-3
SINGLE WIRE SEAL







TE Part # 880811-2
COVER CAP, 3 WAY




TE Part # 282093-1
TAB HSG




TE Part # 282116-1
SECONDARY LOCK FOR 3W. TAB HSG.



TE Part # 282081-1
RUBBER PLUG



TE Part # 281934-2
SINGLE WIRE SEAL



TE Part # 281934-4
SINGLE WIRE SEAL




TE Part # 282087-1
AMP SUPERSEAL 1.5 SERIES 3P PL

Also in the Series

AMP Superseal 1.5mm Series



Automotive Connector Caps & Covers
(1)



Automotive Housings(23)




Automotive Seals & Cavity Plugs(5)




Automotive Signal & Power Connector Housings(23)



Automotive Signal & Power Headers(1)



Automotive Terminals(16)



Other Automotive Connector Accessories(1)


Customers Also Bought




TE Part #CAT-AM71-T273
AMP SUPERSEAL 1.5MM, RECEPTACLE AND TAB



TE Part #CAT-AM71-CH8172
AMP SUPERSEAL 1.5MM, CONNECTOR HOUSING



TE Part #282081-1
RUBBER PLUG



TE Part #2374441-9
CAS HTS MIL PN A216A-028A0Z, L-500MM



Documents

Product Drawings

AMP SUPERSEAL 1.5 SERIES 3P CA

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_282105-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_282105-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_282105-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

AMP SUPERSEAL 1.5mm Connector System

English

ICT Terminals and Connectors Catalogue

English

Product Specifications

Product Specification

English

Instruction Sheets

AMP SUPERSEAL 1.5 SERIES

English

AMP SUPERSEAL 1.5 SERIES

English