

Specifications

Eaton 10316H187

Eaton 10316 hazardous location limit switch, Side rotary operated, Screw terminals, 10A at 240 Vac, 0.11A at 250 Vdc, 1NO-1NC



General specifications

PRODUCT NAME	Eaton 10316 hazardous location limit switch
CATALOG NUMBER	10316H187
UPC	782113229027
PRODUCT LENGTH/DEPTH	2.25 in
PRODUCT HEIGHT	3.88 in
PRODUCT WIDTH	1.55 in
PRODUCT WEIGHT	1.22 lb
WARRANTY	1 year
CERTIFICATIONS	UL Listed CSA Certified



Powering Business Worldwide

Product specifications

CONTACT RATING	10A at 240 Vac, 0.11A at 250 Vdc
ENCLOSURE MATERIAL	Die cast zinc
ACTUATOR	Side rotary operated
CONNECTION	Screw terminal
CONTACT CONFIGURATION	1 NO-1 NC
OPERATING TEMPERATURE - MAX	200 °F
OPERATING TEMPERATURE - MIN	-20 °F
ENVIRONMENTAL RATING	NEMA 1, NEMA 4, NEMA 13
MAXIMUM AC CURRENT	10 A continuous
MAXIMUM DC CURRENT	0.1 A

Resources

CATALOGS	Sensing Solutions, Limit Switches, Volume 8, Tab 2
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - 10316H187

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

Follow us on social media to get the latest product and support information.



© 2025 Eaton. All Rights Reserved.