

Specifications



Eaton 100KTH2

Fuse-link, high speed, 100 A, AC 1200 V, 27 x 57 x 141 mm

General specifications

PRODUCT NAME	Eaton Bussmann series high speed traction fuse
CATALOG NUMBER	100KTH2
UPC	051712703192
EAN	5027590026741
PRODUCT LENGTH/DEPTH	56 mm
PRODUCT HEIGHT	53 mm
PRODUCT WIDTH	180 mm
PRODUCT WEIGHT	347 g
CERTIFICATIONS	CE
GLOBAL CATALOG	100KTH2



Powering Business Worldwide

Product specifications

AMPERAGE RATING	100 A
BREAKING CAPACITY	0 kA
VOLTAGE TYPE	AC/DC
UTILIZATION CATEGORY	Other
RELEASE CHARACTERISTIC	Other
FUSE INDICATOR	None
FREQUENCY RATING - MIN	45 Hz
FREQUENCY RATING - MAX	62 Hz
WATT LOSSES	19.5 W
FUSE SHAPE	Offset bolted tags
MOUNTING DIMENSION	M5
CENTER-TO-CENTER DISTANCE OF CONNECTIONS	141 mm
CURRENT TYPE	AC/DC
RATED VOLTAGE AC	1200 V
RATED VOLTAGE DC	1000 V
COLOR	None
CONSTRUCTION SIZE	Other
MATERIAL	Ceramic
PACKAGING TYPE	Standard
VOLTAGE RATING	1200 V
TYPE	Fuse
APPLICATION	traction
FUSE SYSTEM (ACCORDING TO IEC 60269)	Other

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:

Resources

CATALOGS	eaton-bussmann-series-iec-high-speed-fuses-catalogue-ca135001en-en-gb.pdf
DECLARATIONS OF CONFORMITY	eaton-high-speed-traction-fuse-declaration-of-conformity-eu250011en.pdf eaton-high-speed-traction-fuse-declaration-of-conformity-uk250889en.pdf
MCAD MODEL	eaton-traction-fuses-mcad-3d-models-100kth2.stp



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

Follow us on social media to get the latest product and support information.

