

Specifications



Eaton 170M1777

Eaton Bussmann series Fuse-link, high speed, 400 A, AC 690 V, size 230, 24 x 78 x 98 mm, aR, IEC, UL

General specifications

PRODUCT NAME	Eaton Bussmann series high speed square body fuse
CATALOG NUMBER	170M1777
MODEL CODE	FUSE 400A 750V DC 230FU/70 AR CU
UPC	051712583077
EAN	5027590441599
PRODUCT LENGTH/DEPTH	265 mm
PRODUCT HEIGHT	52 mm
PRODUCT WIDTH	104 mm
PRODUCT WEIGHT	294 g
COMPLIANCES	CE RoHS Compliant EAC
CERTIFICATIONS	IEC 60269-4
GLOBAL CATALOG	170M1777



Powering Business Worldwide

Product specifications

AMPERAGE RATING	400 A
BREAKING CAPACITY	50 kA
FUSE INDICATOR	None
INSULATED METAL GRIPPING LUGS (IMGL)	No
UTILIZATION CATEGORY	aR (accompanied semiconductor protection)
VOLTAGE TYPE	AC/DC
FUSE SIZE	Other
RATED VOLTAGE DC	750 V
CENTER-TO-CENTER DISTANCE OF CONNECTIONS	80 mm
CURRENT TYPE	DC
MOUNTING DIMENSION	M8
CLASS	Class aR
WATT LOSSES	80 W
FUSE SHAPE	Square body, offset bolted tags
COLOR	None
INTERRUPT RATING	50 kAIC
CONSTRUCTION SIZE	Other
PACKAGING TYPE	Standard
VOLTAGE RATING	750 V
TYPE	Fuse
APPLICATION	IGBT circuits, semiconductor protection
FUSE TYPE	FU/Without indicator
FUSE SYSTEM (ACCORDING TO IEC 60269)	Other

Resources

CATALOGS	eaton-bussmann-series-iec-high-speed-fuses-catalogue-ca135001en-en-gb.pdf
DECLARATIONS OF CONFORMITY	eaton-high-speed-square-body-fuse-declaration-of-conformity-uk251153en.pdf eaton-high-speed-square-body-fuse-declaration-of-conformity-eu250670en.pdf
MANUALS AND USER GUIDES	High speed fuses application guide
MCAD MODEL	eaton-hs-square-body-fuses-mcad-3d-models-u0802.stp
PRODUCT NOTIFICATIONS	eaton-bussmann-series-170m-fuses-product-change-notice-pcn-bur-00193-en-us.pdf eaton-bussmann-series-ukca-marking-high-speed-fuses-pcn-bur-00167-en-gb.pdf

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

Follow us on social media to get the latest product and support information.



© 2025 Eaton. All Rights Reserved.