


Key Features

5:4 aspect ratio | sRGB color correction | Fast response time | Energy-saving Eco-mode | Energy Star and EPEAT Silver Certification




Product Description

The ViewSonic® VA708a is a 17" monitor ideal for legacy and customized applications that require a 5:4 aspect ratio. With 1280x1024 resolution, sRGB color correction technology, and a fast 5ms response time, this monitor delivers vivid and accurate colors for incredible front-of-screen performance. Featuring a matte finish design, this 17" monitor can fit on any desktop, while a VESA-compatible mount provides additional convenience and flexibility. In addition, Energy Star and EPEAT certification, as well as an energy-saving Eco-mode setting, offers solid performance while delivering low TCO perfect for enterprise and government use.



01. Menu Controls
02. VESA® Compatible Wall Mount 100 x 100 mm


03. Kensington® Lock Slot
04. AC In
05. VGA



17"
DISPLAY



TN
PANEL



1280 x 1024
RESOLUTION

Contact Sales

- call: 888.881.8781
- email: salesinfo@viewsonic.com
- visit: viewsonic.com

Display:

Display Size (in.):	17
Type:	TN
Resolution:	1280 x 1024
Static Contrast Ratio:	1000:1
Light Source:	LED
Brightness:	250 cd/m2
Colors:	16.7M
Response Time (Typical GTG):	5ms
Viewing Angles:	170° horizontal, 160° vertical
Backlight Life (Hours):	30,000
Panel Surface:	3H Anti-glare, hard-coating

Compatibility:

PC Resolution (max):	1280 x 1024
Mac® Resolution (max):	1280 x 1024

Connector:

VGA(1)	
--------	--

Power:

Eco Mode (Conserve):	10W
Eco Mode (optimized):	12W
Consumption (typical):	14W
Consumption (max):	17W
Voltage:	AC 100-240V (universal), 50-60Hz

Controls:

Physical Controls:	1, 2, Up, Down, Power
On Screen Display:	Auto Image Adjust, Contrast/Brightness, Color Adjust, Information, Manual Image Adjust, Setup Menu, Memory Recall(See user guide for complete OSD functionality)

Operating Conditions:

Temperature:	32-104° F (0-40° C)
Humidity (non-condensing):	20-90%

Mount:

VESA Compatible:	100 x 100 mm
------------------	--------------

Video Signal:

Frequency Horizontal:	24~82kHz
Frequency Vertical:	50~75Hz

Video Input:

Analog Sync:	Separate Sync
--------------	---------------

Ergonomics:

Tilt (Forward/Back):	3° / 20°
----------------------	----------

Weight (imperial):

Net (lbs):	6.8
Net Without Stand (lbs):	6.2
Gross (lbs):	9.3

Weight (metric):

Net (kg):	3.1
Net Without Stand (kg):	2.8
Gross (kg):	4.2

Dimensions (imperial) (WxHxD):

Packaging (in.):	16.5 x 17.6 x 5.7
Physical (in.):	14.4 x 15.4 x 7.5
Physical Without Stand (in.):	14.4 x 12.7 x 2.4

Dimensions (metric) (WxHxD):

Packaging (mm):	420 x 446 x 144
Physical Without Stand (mm):	366.9 x 321.6 x 60.2

General:

Regulations: CE EMC, LVD or CB, RoHS Green BOM & RoHS DoC, WEEE, cULus, FCC-B/ICES-003, ENERGY STAR, EPEAT (Silver), Mexico NOM, Mexico Energy, BSMI, PSB, C-tick, GEMS (Energy), CCC, China Energy Label, CECP

PACKAGE CONTENTS: VA708a monitor, Power cable, VGA cable, Quick Start Guide

Recycle/Disposal: Please dispose of in accordance with local, state or federal laws.

Warranty: Three-year limited warranty on parts, labor and backlight

UPC: 766907767117

Awards:

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Advantech:](#)

[96LED-17-VS-B1](#)