



Material declaration form

General Information			
IPC	1752	Version	2
Form type*	Distribute		
Sectionals*	Material information	Subsectionals*	A-D
	Manufacturing information		*: Required Field

Supplier Information			
Company name*	STMicroelectronics	Response Date*	2025-02-26
Contact name*	Refer to Supplier Comment section		Refer to Supplier Comment section
Contact phone*	Refer to Supplier Comment section	Contact email*	Refer to Supplier Comment section
Authorized representative*	Antonella Lanzafame	Representative title	APMSMaterial Declaration champion
Representative phone*	Refer to Supplier Comment section	Representative email*	Refer to Supplier Comment section
Supplier comment	Online Technical Support - STMicroelectronics : http://www.st.com/web/en/support/support.html		

Uncertainty statement

While STMicroelectronics has endeavored to provide information which is accurate and up to date, this document and its contents are provided on a strict 'as is' and 'as available' basis. STMicroelectronics disclaims all warranties, express or implied related to this document and its contents, including but not limited to implied warranties of completeness, truth, accuracy, merchantability, fitness for a particular purpose and non-infringement. ST shall have no responsibility and assumes no liability for any cost, loss or damage of any kind which could arise, directly or indirectly, from the use or inability to use this document and/or its contents.

Legal statement

Supplier acceptance* true Legal declaration* Standard

Supplier certifies that it gathered the provided information and such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part(s), and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part(s), the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form.

Product				
Mfr item number	Mfr item name	Version	Manufacturing site	date
SCT040H120G3AG	T38P*BRI91V2	A	SH1A	2025-02-26
	Amount	Unit of measure	Unit type	ST ECOPACK grade
	1540	mg	Each	ECOPACK® 1
Identity	Authority			
Comment	ECOPACK® or ECOPACK® 1 is STMicroelectronics trade name for ROHS compliant devices			

Manufacturing information			
J-STD-020 MSL rating	Classification temperature	Number of reflow cycles	
1	245	3	
Bulk solder termination	Terminal plating	Terminal base alloy	Comment
Not Applicable	Tin (Sn), matte, annealed	Copper Alloy	0

Package designator	Package size	Number of instances	Shape
Not Applicable	10.2x9.15	7	Not Applicable
Comment			
A08P H2PAK-7			

QueryList : RoHS Directive 2011/65/EU- 8 June 2011 – Annex II amended by Delegated Directive 2015/863 - 31 March 2015		Response
1 - Product(s) meets EU RoHS requirement without any exemptions		false
2 - Product(s) meets EU RoHS requirements except lead in solder and this usage may qualify under the lead in solder '7b' exemption (other selected exemptions may apply)		false
3 - Product(s) meets EU RoHS requirements by application of the selected exemption(s)		true
4 - Product(s) does not meet EU RoHS requirements and is not under exemptions		false
Exemption id.	Description	
7a	Lead in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead)	

QueryList : ELV directive : 2000/53/EC amended 2020/363_March 2020		Response
1 - Product(s) meets EU ELV requirements without any exemptions		true
2 - Product(s) meets EU RoHS requirements by application of the selected exemption(s)		false
Exemption id.	Description	
8(e)	8(e) - Lead in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead)	

QueryList : California Prop65 list, dated 3rd January 2025		Response	
1 - The product does not contain identified substance from California Prop 65 List, no exposure to consumers is foreseen		false	
2 - The product is containing below substance(s) from California Prop 65 List, no exposure to consumers is foreseen		true	
Substance	amount in product (mg)	Application	ppm in product
Nickel	1.278	alloy	830
Lead	3.334	solder	2165

QueryList -Customer	Response
QUERY	Response

QueryList : Chinese RoHS , references : SJT 11364 – 2014 and GBT 26572 – 2014		Response		
QUERY		Response		
1 - Product(s) requires marking for the presence of restricted substances and must be marked with an Environmental Protection Use Period under China's Measures for Administration of the control of pollution by Electronic Information Products		true		
2 - Product(s) is eligible for marking with the e code under China's Measures for Administration of the control of pollution by Electronic Information Products		false		
Hazardous substance				
Lead (Pb)	Cadmium (Cd)	Mercury (Hg)	Hexavalent Chromium (Cr VI)	PBB & PBDE
X	O	O	O	O

QueryList : REACH-21st January 2025		Response		
1 - Product(s) does not contain REACH Substances Of Very High Concern above the limits per the definition within REACH		false		
CategoryLevel_Name	CategoryLevel_Threshold	amount in product (mg)	Application	ppm in product
Lead (Pb)	1000 ppm	3.33	Soft solder	2165
2 - Product(s) does not contain REACH Substances Of Very High Concern in any Embedded article nor Homogeneous Material above the limits per the definition within REACH				false
CategoryLevel_Name	CategoryLevel_Threshold	Amount in embedded article / Homogeneous material (mg)	Application - article / Homogeneous material	ppm in article /Homogeneous material



QueryList : Responsible metals sourcing	Response
The component is containing at least one of the following metals : Cobalt , Gold , Tantalum , Tin , Tungsten.	true
The following metals are present is the component :	Tin,

QueryList : Korea Chemical Control Act_ 27 Dec 2017 update	Response
The Product does contain at least one of the substances listed in Chemical Control Act	true

QueryList : China GB 33372-2020 Limit standard for volatile organic compounds content in adhesives - 4 March 2020 application date 1st December 2020	Response
The product contains adhesives identified under GB 33372	false

QueryList:Stockholm Convention Persistent Organic Pollutants (POP)	Response
Product is compliant with Annex A, B and C of Stockholm Convention Persistent Organic Pollutants	true

QueryList: EU Ship Recycling Regulation No. 1257/2013	Response
Product contains hazardous materials listed in Annex II of EU Ship Recycling Regulation No.1257/2013 and 2009/16/EC Directive	True
The material present in the product is:	Lead

PFAS/PTFE Declaration	Response
The product is containing at least one of the following PFAS substance: Polytetrafluoroethylene,Thiophenium, Triphenylsulfonium nonaflate, Trifluoroacetic anhydride	False

BPA Declaration	Response
Product does not contain Bisphenol A (Isopropylidenediphenol)	True

Montreal Protocol	Response
Product does not contain Ozone Depleting Substances based on Annex I to Annex VII of EU REGULATION (EC) No 1005/2009	True

Environmental Protection Agency:Toxic Substances Control Act (TSCA). Section 6(h)	Response
Product does not contain Phenol, isopropylated, phosphate (3:1)	True

Material Composition Declaration : note : Substance present with less 0.001mg will not be declared in this document						Mfr Item Name	T38P*BR191V2	1540.0000		5000002.0	999999.0	
Homogeneous material	Material group	Mass	Unit of measure	Level	Substance category	Substance	CAS	Exempt	Mass	Unit of measure	Concentration in homogeneous material (ppm)	Concentration in product (ppm)
Die or Dies or Wafer (choose)	M-011 Other inorganic materials	5.919	mg	supplier	die	Silicon(Si)	7440-21-3		0.024	mg	4055	16
	M-011 Other inorganic materials			California 65	die	Silicium carbide	409-21-2		5.547	mg	937152	3602
				supplier	metallisation	Aluminium(Al)	7429-90-5		0.101	mg	17064	66
				supplier	metallisation	Copper(Cu)	7440-50-8		0.014	mg	2365	9
				supplier	metallisation	Nickel(Ni)	7440-02-0		0.087	mg	14698	56
				supplier	metallisation	Silver(Ag)	7440-22-4		0.089	mg	15036	58
				supplier	metallisation	Titanium(Ti)	7440-32-6		0.011	mg	1858	7
				supplier	metallisation	Vanadium(V)	7440-62-2		0.003	mg	507	2
				supplier	Passivation	Silicon nitride(S	12033-89-5		0.016	mg	2703	10
				supplier	passivation	Silicon oxide	7631-86-9		0.027	mg	4562	18
Leadframe	M-004 Copper and its alloys	1031.008	mg	supplier	alloy	Copper(Cu)	7440-50-8		1028.454	mg	997523	667827
				supplier	alloy	Iron phosphide	26508-33-8		0.865	mg	839	562
				supplier	alloy	Iron(Fe)	7439-89-6		0.474	mg	460	308
				supplier	metallization	Nickel(Ni)	7440-02-0		1.191	mg	1155	773
				supplier	metallization	Phosphorus me	7723-14-0		0.024	mg	23	16
Soft solder	Solder	3.491	mg	SVHC	solder	Lead(Pb)	7439-92-1	7a-Lead in high melting temperat	3.334	mg	955027	2165
				supplier	solder	Silver(Ag)	7440-22-4		0.087	mg	24921	56
				supplier	solder	Tin(Sn)	7440-31-5		0.070	mg	20052	45
Encapsulation	M-011 Other inorganic materials	497.306	mg	supplier	mold compound	Silica vitreous	60676-86-0		427.683	mg	860000	277716
				supplier	mold compound	Epoxy Cresol N	29690-82-2		12.433	mg	25001	8073
				supplier	mold compound	Phenol resin	1985-51-9		19.892	mg	40000	12917
				supplier	mold compound	Biphenyl epoxy	85954-11-6		4.973	mg	10000	3229
				supplier	mold compound	Antimony trioxid	proprietary		19.892	mg	40000	12917
				supplier	mold compound	Brominated Epc	40039-93-8		9.946	mg	20000	6458
				supplier	mold compound	Carbon black	1333-86-4		2.487	mg	5001	1615
Connections coating	Solder	2.276	mg	supplier	solder alloy	Tin(Sn)	7440-31-5		2.276	mg	1000000	1478