



Connectors > Automotive Connectors > Automotive Connector Accessories > Other Automotive Connector Accessories >

DEUTSCH DT Retention Sleeves



Automotive Connector Accessory Type: **Seal Retainer**
Primary Product Material: **PA GF**
Primary Product Color: **Black**
Operating Temperature Range: **-55 – 125 °C [-67 – 257 °F]**

[All DEUTSCH DT Retention Sleeves \(16\)](#)

Features

Product Type Features

Automotive Connector Accessory Type	Seal Retainer
-------------------------------------	---------------

Configuration Features

Number of Positions	12
---------------------	----

Body Features

Primary Product Material	PA GF
Primary Product Color	Black

Usage Conditions

Compatible With Connector Style	Receptacle
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Box
------------------	-----

Other

Serviceable	Yes
-------------	-----



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | DEUTSCH DT



Automotive Connector Caps & Covers (19)	Automotive Connector Locks & Position Assurance(87)	Automotive Housings(706)	Connector Backshells(61)
Connector Seals & Cavity Plugs(6)	Connector Strain Relief(28)	Insertion & Extraction Tools(3)	Other Automotive Connector Accessories(28)
PCB Headers & Receptacles(106)			

Customers Also Bought

TE Part #1011-054-1205 DEUTSCH DT Retention Sleeves	TE Part #2-2308340-0 FULL METAL HOODS SIZE 1-10 (RAW 135 DEG)	TE Part #160869-2 FF 250 TAB 0.5-1.0MM2 TPBR	TE Part #1010-036-0406 SEAL, INTF, 4P, RED-ORG, DTM
TE Part #1010-038-0606 SEAL, INTF, 6P, RED-ORG, DTM	TE Part #1010-042-1206 SEAL, INTF, 12P, RED-ORG, DTM	TE Part #DTM06-6S-COMPLETE DTM06-6S W/ WEDGELOCK AND TERMINALS	

Documents



Product Drawings

SEAL RET, 12P, BLK, DTM, B

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1011-053-1205_99_c-1011-053-1205-99.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1011-053-1205_99_c-1011-053-1205-99.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1011-053-1205_99_c-1011-053-1205-99.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English