

TE Internal #: 1551920-5

zQSFP+, Connector, .8mm [.031in] Centerline, Signal, Operating

Temperature Range -40 – 85 °C [-40 – 185 °F], Data Rate (Max) 25

Gb/s, 38 Position

View on TE.com >



### Connectors > Pluggable IO Connectors & Cages











Pluggable I/O Product Type: Connector

Centerline (Pitch): .8 mm [ .031 in ]

Sealable: No

Circuit Application: Signal

Operating Temperature Range: -40 - 85 °C [-40 - 185 °F]

## **Features**

### **Product Type Features**

Product Type Features	
Pluggable I/O Product Type	Connector
Sealable	No
Form Factor	zQSFP+
Configuration Features	
Number of Positions	38
Electrical Characteristics	
Data Rate (Max)	25 Gb/s
Contact Features	
Contact Underplating Material	Nickel
Contact Current Rating (Max)	.5 A
Termination Features	
Termination Method to PCB	Surface Mount
Housing Features	

.8 mm[.031 in]

Centerline (Pitch)



### **Usage Conditions**

Operating Temperature Range	-40 - 85 °C[-40 - 185 °F]
Operation/Application	
Circuit Application	Signal

### **Product Compliance**


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts













TE Part # CAT-C11-N490325

QSFP28-Four SFP+ Cable Assembly:
26 AWG



TE Part # CAT-Q17-N490325 QSFP56 to QSFP56 Cable Assembly: 30 AWG



TE Part # CAT-Q17-N49033 QSFP56-Two QSFP56 Cable Assembly: 30 AWG





TE Part # CAT-Q17-N490333

QSFP56-Four SFP56 Cable Assembly: 26 AWG



# Customers Also Bought



TE Part #2058943-1 Cable Assembly Mini CT 2 pos.



TE Part #644752-2 02P MTA156 HDR ASSY SQ STR F/L



TE Part #644753-3 03P MTA156 HDR ASSY RN STR F/L



TE Part #1423673-7 W51-A121B1-20=CKTBKR,THERM,ROC



TE Part #66400-1 III+ PIN,24-20,TIN-LEAD,LP



TE Part #7-534206-5 50 MODII VRT DR CE 100/115



TE Part #2307729-6 6P,2MM,B-B,REC,DRHZ,SMD,0.1AU,TR





## **Documents**



### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_1551920-5\_D1.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1551920-5\_D1.3d\_stp.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1551920-5\_D1.2d\_dxf.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

## **Product Specifications**

**Application Specification** 

English