

OAC-5

✓ ACTIVE

Potter & Brumfield | Potter & Brumfield OAC

TE Internal #: 6-1393028-9

DC Input Solid State Relay, 1 Form A SPST-NO, 3 – 8 VDC Input, 12 – 140 Vrms Output, AC Output, Printed Circuit Board, Black, Potter & Brumfield OAC

[View on TE.com >](#)



Relays & Contactors > Solid State Relays > Solid State Relays: PCB mount



Contact Arrangement: 1 Form A SPST-NO

Input Current Type: DC

Input Voltage: 3 – 8 VDC

Output Voltage Rating: 12 – 140 Vrms

Output Switching: Zero

[All Solid State Relays: PCB mount \(7\)](#)

Features

Configuration Features

Contact Arrangement	1 Form A SPST-NO
---------------------	------------------

Electrical Characteristics

Insulation Initial Dielectric Between Contacts & Coil	4000 Vrms
Input Voltage	3 – 8 VDC
Output Voltage Rating	12 – 140 Vrms

Body Features

Primary Product Color	Black
Product Weight	35 g[1.38 oz]

Termination Features

Relay Connection Type	PCB Termination
Terminal Configuration	Solder Pins

Mechanical Attachment



Product Mounting Feature Type	Hex Nut
Product Mount Type	Printed Circuit Board

Dimensions

Product Length	42.3 mm[1.66 in]
Product Width	15.15 mm[.596 in]
Product Height	31.7 mm[1.24 in]

Usage Conditions

Operating Temperature Range	-30 – 80 °C[-22 – 176 °F]
-----------------------------	---------------------------

Operation/Application

Input Current Type	DC
Output Switching	Zero
Output Current Type	AC

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts

TE Part # CAT-P851-OA1
Solid State Relays: PCB mount

Also in the Series | Potter & Brumfield OAC

Solid State Relays(7)

Customers Also Bought

TE Part #5205858-1
25 RCPT RA/MS STD

TE Part #1558660-1
T9GV5L14-5

TE Part #770147-1
.093 CP&S PIN PTPBR LP 24-18

TE Part #1761609-9
IDC LOW PRO HDR 26P RA SHT LAT

TE Part #770146-1
.093 CP&S SOK PTPBR LP 24-18

TE Part #1393845-3
RP821006

TE Part #2-459866-4
ANVIL, COMB. AMPLIVAR

TE Part #EXD450SMV
DUCK,EXD,450-470MHz,1/4W SMAM,
Vertex



Documents

CAD Files

Customer View Model

ENG_CVM_CVM_6-1393028-9_C1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_6-1393028-9_C1.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_6-1393028-9_C1.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

OAC AC Output Modules Data Sheet

English

OAC_Datasheet

English

Agency Approvals

UL

English